

1100 Davis Road
Elgin, Illinois 60123
Phone: 847.841.7000
Fax: 847.841.7997
web site: www.anchor-bolt.com

POP[®] FASTENERS
A  **BLACK & DECKER COMPANY**

Southco
DRIVE RIVETS

Avdel Cherry
TEXTRON

CAMCAR TEXTRON
Camcar Division of Textron Inc.

 **OLYMPIC**
FASTENING
SYSTEMS, INC.

TRW

Tinnerman[®] Brand Fasteners

CORROFLO[®]

EATON Retaining Rings
Snap Rings


T-MARKED
Speed Nuts[®]

 
HUCK A THORNDAL COMPANY

Huck International, Inc.
Advanced Fastening Systems

HEYCO[®]

CAMTAINER[®]

ITW Fastex[®]

Ark-Les
CORPORATION

GESIPA[®]

Palnut[®]

DYNACAST


TORX[®]

 **INFASCO**

Fastex[®] is a registered trademark of ITW
Poly Seal[®] is a trademark of Engineered Components Company
Torx[®] is a trademark of Camcar Div. of Textron
Corroflo is a trademark of Camcar Div. of Textron
Camtainer is a trademark of Camcar Div. of Textron

PRODUCT CATALOG

HARDWARE FOR TRAILERS & TRUCK BODIES




AUTHORIZED DISTRIBUTION

Tinnerman® Brand Fasteners

Palnut®



Avdel Cherry
TEXTRON



Southco
DRIVE RIVETS



Huck International, Inc.
Advanced Fastening Systems

SPECIALTY PRODUCTS (in stock)



**IF IT'S TORX® OR 6 LOBE
● WE HAVE IT**



visit our web site for a video tour
www.anchor-bolt.com

CORPORATE PROFILE

- Engineered Components Company has been in business for over twenty five years as a manufacturer and stocking supplier of standard and specialty fasteners.
- The per print division specializes in both metric or inch parts, metal or plastic fasteners or complete components, metal stampings or injection molded parts including plastic, rubber, PVC, and Delrin material. From prototype to production.
- Corporate location in Elgin, IL includes sales and purchasing offices, quality control and test labs and up to 80,000 sq. ft. of warehouse space.
- Corporate warehouse locations also in Lafayette, IN., Mooresville, NC., and a new sales office in Brooksville, FL.
- State of the art graphics department with up to date computer technology for your graphic design from small job to large.
- Partnership with fourteen manufacturers worldwide, four in China, two in Taiwan, one in Malaysia, one in Russia, and six plants besides ourselves in the U.S.A.
- Tier two production part supplier to the automotive industry with a Kan-Ban return container system in place.
- Major stocking supplier for over twenty manufacturers (see reverse)
- Manufacturer of Poly Seal T-Nuts and Bolts in optional colors for the truck body/ truck trailer manufacturing groups.
- For a competitive bid on quality parts, competitive pricing and quick lead times fax us your RFQ to 847-841-7007



Five Hi-Speed, Multi-Part Bagging Machines

- Up To Eight Automated Parts Per Bag
- Customized Polybags, Boxes and Labels
Large or Small runs

Samples of Engineered Components Products
Including:

- Encapsulated-Molded Polyseal
- FRP Composite Plate Compatible Mating Screws
- Tamperproof Bolts and Nuts

4000 HOUR SALT SPRAY PLATING AVAILABLE FOR ALL METAL PARTS

- Tested to last 4000+ hours
Also, 6,000 Hour Salt Spray being tested,
in-house with state-of-the-art
Salt Spray Cabinets
- Custom Graphics and Decals
- Custom Printing
- Customized polybags and labels. Large or
small runs



Tinker Box

**CONTACT US FOR FREE
TINKER BOX, SAMPLES
OR CATALOG**



Take a video tour at: www.engcomponents.com



Engineered Components Company

1100 Davis Road, Elgin, IL 60123

Phone: 847-841-7000 • Fax: 847-841-7007

e-mail: sales@engcomponents.com

Visit Our Web site for a Complete Video Tour

www.engcomponents.com

MANUFACTURING RANGE

#2 thru 4"(inch) Diameter with Maximum Length 5'(feet)
Materials: Steel, Stainless, Aluminum



**COMING
SOON**

7 Die
7 Blow Equipment



**Engineered
Components**
COMPANY

1100 Davis Road, Elgin Illinois, 60123
Phone: 847-841-7000 • Fax: 847-841-7007
www.engcomponents.com

*If someone says it can't be done.
Send it to US!*




NEW Equipment

1100 Davis Road, Elgin Illinois, 60123
Phone: 847-841-7000 • Fax: 847-841-7007
www.engcomponents.com

**Engineered
Components**
COMPANY




6 Die 6 Blow Heading Equipment
1/4 thru 1 Dia. Cold Formed ¥ 1-1/8 thru 4 dia. Hot Formed



Tired of long lead times?

ENGINEERED COMPONENTS COMPANY
features a patented FRP Fastening System that's readily available.

- Encapsulation Done In-House to Assure High Quality.
 - Color Matched to Your Requirements.
 - Stock or Reasonable Lead Time.
- 1/4 & 5/16 Floor Screws Stocked in Volume – Ready For Shipment.
- Specializing in Fasteners Inherent in Truck Trailer & Truck Body Industry.
 - Leaders in Quality, Dependability & Performance.
 - Competitive Pricing.



ENGINEERED COMPONENTS COMPANY

1100 Davis Road • Elgin, IL 60123

Phone (847) 841-7000 • Fax (847) 841-7007

Visit Our Website for a Complete Video Tour
www.engcomponents.com



REGISTERED TO
ISO 9001 : 2000
FILE# A4793IL

DISTRIBUTION FOR: AVDEL/CHERRY • HUCK • POP • CAM CAR • HEYCO • SOUTHCO

Engineered Components COMPANY

LAMINATED BUMPERS

**The Last Time You
Will Ever Replace
a Bumper**



**SAVE \$\$\$
ON LABOR
REPLACEMENT
Costs...**

- Laminated Reinforced Rubber (recycled tires)
- Protects Trailers and Docks
- Heavy Duty Protection
- Durable, Long Lasting
- Available In:
 - 27/8" wide
 - 37/8" wide
 - Steel Case Hot Dip Galvanized
 - Stainless Steel Case
 - 2 Hole (4 Hole Available)

Engineered Components COMPANY

1100 Davis Road, Elgin, Illinois 60123
Phone: 847.841.7000 • Fax: 847.841.7007

Visit Our Web site for a Complete Video Tour

www.engcomponents.com

AVK® Alternatives 53-55**Bolts**

Rib Neck Grade-5.1 Carriage Bolt Zinc	24
Exterior Stitching Fasteners	25
Rear Door & FRP Assembly	26-29
Step Bolt Grade 5	27
Camtainer® Fastening System	29
Bottom Rail Bolts & Nuts	31-33
Additional Bottom Rail Bolts & Misc. Items	32
M22 Wheel Bolt and Nut	40

FRP

Closed End T-Nuts	13
Poly Seal T-Nuts	13&16
Mating Screws	14-15
BTN Socket Wash Flange GR-8	22
FRP/Grip Range Chart	18
Encapsulated FRP Fastening System	19
1/4 Truss Washer Head Mating Fasteners	20
5/16 Truss Washer Head Mating Fasteners	21
Dura Plate® or Thin Panel Polyseal T-Nut & Mating Screw	16-17
E-Track and FRP Blind Nuts	16-17
Rear Door & FRP Assembly	25-29
Camtainer® Fastening System	29
Plywood or Luwan Panels, Fiberglass and OSB Board	72

Fastex® Alternatives

Christmas Tree clips and Ratchet Rivets	70
---	----

Floorscrews/Thread Forming Screws

1/4 Flat Head Torx® or 6-Lobe Phos, Oil & Wax	1
5/16 Flat Head Torx® or 6-Lobe Phos, Oil & Wax	1
1/4 & 5/16 Torx® or 6-Lobe Flat Floor Screws Zinc	3
1/4 & 5/16 Torx® or 6-Lobe Pan Head Floor Screws Zinc, Bake & Wax	4
Special and Replacement Floor Screw Thread Forming & Thread Cutting	6
Special floor Screws Thread Forming and Thread Cutting	6
Special floor Screws Thread Forming and Thread Cutting	7

Repair kits

Landing Gear	34
Rear Door	34
Bottom Rail	34

Machine Screws

Torx® Flat Head Machine Screws	22
Torx® or 6-Lobe Machine Screws	23
Torx® or 6-Lobe flat Head Steel Machine Screw Grade 5.1 – Plain	39
Serrated Hex Washer Flange Screws Grade-2...	41
Serrated Hex Washer Flange Screws Grade-5...	42

Misc. Items

2 Way Lock Nut Defection	47
UV Stabilized Black Wire Ties	51
Wire Ties	51
Graphics	71
Zip Lock Bags and Tape	73
Electrical Tape	73
Fab-Lok® Fasteners	93

Nuts

Closed End T-Nuts	13
Poly Seal T-Nuts	13&16
M22 Wheel Bolts and Nuts	40
Wheel Nuts (60°)	40
Rear Door & FRP Assembly	26-29
Camtainer® Fastening System	29
Bottom Rail Bolts & Nuts	31-33
Tamper Resistant Nuts	35
Serrated Hex Flange Nuts	43
I.F.I. Grade-5 Nylon Insert Lock Nuts .0005 Zinc & Clear	44
Grade-5 and Grade-8 2-Way Lock Nuts Zinc	45
Flange Nuts No Serrations	46
Twin Wiz Serrated Lock Nuts	46

Palnut Fasteners® 64-65**PEM® Alternative**

Ultra-Sonic Sonic lock Brass Inserts	52
Self-Clinching Studs	56-57
Self-Clinching Nuts	58

Rear Door Hardware

Rear Door & FRP Assembly	26-29
Door Hold Back Hardware	27
Rear Door Hardware (FRP Assembly and Repair)	26-29
Camtainer® Fastening System	29
Light and Reflector Fasteners	35
Tamper Resistant Nuts	35
Truck Bumpers	39

Rivets

Anchor Lok-Lock Bolt System	36-37
Alum. Drive Rivet – Southco Alternates	38
Nylon Drive Rivet with Aluminum or Steel Pin	39
Ariel Pierce-&-Roll Self Pierce Rivet	62
Blind and Structural Rivets	63
Solid Aluminum Rivets	63
Composite Trailer Panel Blind Rivet	60

Works On:

Dura Plate®, P Series®, VXP®, Z Plate®

Self-Clinching Fasteners

Self-Clinching Studs	56-57
Self-Clinching Nuts	58

Self-Drilling Screws & Sheet Metal Screws

Economy Liner Screws	9
Stadler Liner & floor Screws	9
Torx® Plus Drilltite Wall-Liner Fasteners	10
Special Self-Drilling Screws	11
Self-Drilling Carbon Steel Fasteners	11
Additional Special Self Drilling Screws	11
Garage Door Screws	12
Square and Double Square Drive Screws	12

TRW® Fasteners

68-69

Threaded Insert Nuts

Ultrasonic-Sonic lock Brass Inserts	52
AVK® Alternatives	53-55
JAK Nut Alternates & Well Nut Alternates.....	59
Rubber Nut Threaded Inserts	60
Rubber Nut Specification Sheet	61

Thread cutting Screws

1/4 & 5/16 Torx® or 6-Lobe Flat Type F TCS.....	2
1/4 & 5/16 Torx® or 6-Lobe Pan Head Type 23 TCS	4
Flat Phillips Type F TCS	5
Slotted Hex Washer "F" TCS Zinc	5
Unslotted Hex Washer Head Type F Zinc & Bake	5
Special Floor Screws Thread Forming and Thread Cutting	6
Special and Replacement Floor Screw Thread Forming & Thread Cutting	6
Additional Thread Cutting Screws.....	8
Special Floor Screws Thread Forming & Thread Cutting	7

Tinnerman® Fasteners

66-67

Torx® Plus

Drilltite Wall-Liner Fasteners	10
Machine Screws	75-80
Stainless Steel Torx® Plus Machine Screws	81
Machine Screws With Crest Cup Washers	82
Taptite II Thread-Rolling Fasteners	83-87
Torx® Plus Plastite II Thread-Rolling Fasteners	88-91
Torx® Plus Plastite II Thread-Rolling Fasteners Stainless Steel	92

Trailer Brake Accessories

Eye Bolt W/Keps & Lock Nuts	48
Spring Plate	48
Trailer Brake Hose Springs.....	48
Brake Hose Separators	49
Hose Clip with Cable Tie Mount Assembly	50
Standard Beam clip Assemblies	50

Wheel Hardware

M22 Wheel Bolt & Nut	40
Wheel Nuts (60°)	40
Trailer Hub Heat Sensor Bolt.....	41

Technical Data

FRP/Grip Range Chart	16&18
Encapsulated FRP Fastening System	19
1/4 Truss Washer Head Mating Fasteners	20
5/16 Truss Washer Head Mating Fasteners	21
Special plating	30

Phone: 847.841.7000

Fax: 847.841.7007

web site: www.engcomponents.com

1/4" FLAT HEAD TORX® OR 6-LOBE THREAD FORMING FLOOR SCREWS PHOS, OIL & WAX



SIZES AVAILABLE	PART #	500	1,000	2,500	5,000	10,000	25,000	50,000	100,000
1/4-20x1 (3500/ctn)	188917667-01F								
1/4-20x1-1/4 (3M/ctn)	188917687-01SL								
1/4-20x1-1/2 (3M/ctn)	188917707-01SL								
1/4-20x1-3/4 (1850/ctn)	188917727-01SL								
1/4-20x2 (2M/ctn)	188917747-01SL								
1/4-20x2-1/4 (1500/ctn)	188917767-01SL								
1/4-20x2-1/2 (1200/ctn)	188917787-01SL								
1/4-20x3 (1M/ctn)	188917817-01SL								
1/4-20x3-1/2 (900/ctn)	188917857-01SL								
1/4-20x4 (700/ctn)	188917897-01SL								
1/4-20x5 (350/ctn)	188917927-01SL								
1/4-20x6 (300/ctn)	188917937-01SL								



5/16" FLAT HEAD TORX® OR 6-LOBE THREAD FORMING FLOOR SCREWS PHOS, OIL & WAX

**OVER 100 MILLION
SOLD YEARLY**

SIZES AVAILABLE	PART #	500	1,000	2,500	5,000	10,000	25,000	50,000	100,000
5/16-18x1(F)*	F9119667-01								
5/16-18x1-1/4 (2M/ctn)	188919687-01SL								
5/16-18x1-1/2 (1800/ctn)	188919707-01SL								
5/16-18x1-3/4 (1450/ctn)	188919727-01SL								
5/16-18x2** Triple Lead (1250/ctn)	188919747-01TL								
5/16-18x2 Single Lead (1250/ctn)	188919747-01SL								
5/16-18x2-1/4 (1M/ctn)	188919767-01SL								
5/16-18x2-1/2 (1M/ctn)	188919787-01SL								
5/16-18x3 (750/ctn)	188919817-01SL								
5/16-18x3-1/2 (650/ctn)	188919857-01SL								
5/16-18x4 (500/ctn)	188919897-01SL								
5/16-18x4-3/4 (N/A)									
5/16-18x5 (350/ctn)	188919927-01SL								
5/16-18x6 (300/ctn)									
5/16-18x2-1/2 Truss (700/ctn)	188919785-01SL								

NOTE: All Floor Screws are Torx® /6-Lobe Flat Head Phos and Oil (other finishes available Zinc and Cad)
2" and 2-1/4" are available in single lead and triple lead

* (F) Type F Thread cutting ** This item can be roll sorted for automatic feed equipment SL Single
Lead Thread same as type F

\$25.00 Line Minimum \$50.00 Order Minimum Torx® is a Trademark of Camcar Div of Textron
Triple Lead is patented by ECC pat.#5964560

visit our web site for a video tour
www.engcomponents.com

TYPE "F" FLAT HEAD THREAD CUTTING FLOOR SCREWS Phos & OIL

***Popular for repairing trailer and truck body floors**

SIZES AVAILABLE	PART #	500	1,000	2,500	5,000	10,000	25,000	50,000
1/4-20x1	188917667-01F							
1/4-20x1-1/4	188917687-01F							
1/4-20x1-1/2	188917707-01F							
1/4-20x2	188917747-01F							
1/4-20x2-1/4	188917767-01F							
1/4-20x2-1/2	188917787-01F							
1/4-20x3	188917817-01F							
1/4-20x3-1/2	188917857-01F							
1/4-20x4	188917897-01F							
1/4-20x5	188917927-01F							
1/4-20x6	188917937-01F							
5/16-18x1-1/4	F9119667-01F							
5/16-18x1-1/2	188919707-01F							
5/16-18x2	188919747-01F							
5/16-18x2-1/4	188919767-01F							
5/16-18x2-1/2	188919787-01F							
5/16-18x3**	188919817-01F							

**For 5/16 diameter lengths over 3", we stock Tri-Lobular T.F.S. up to 6 inches long. See page 2 of our catalog for pricing.

Type "F" screws drive better than T.F.S. in repair application due to rust on the beams. The type "F" flute removes the rust from the threads as it is being driven, which prevents the fastener from binding and breaking.

1/4" TORX® OR 6-LOBE FLAT HD FLOOR SCREWS ZINC, BAKE & WAX



SIZES AVAILABLE	PART #	500	1,000	2,500	5,000	10,000
1/4-20x1 (3M/ctn)	188917667-06SL					
1/4-20x1-1/4 (3M/ctn)	188917687-06SL					
1/4-20x1-1/2 (3M/ctn)	188917707-06SL					
1/4-20x1-3/4 (3M/ctn)	188917727-06SL					
1/4-20x2 (2M/ctn)	188917747-06SL					
1/4-20x2-1/4 (1500/ctn)	188917767-06SL					
1/4-20x2-1/2 (1500/ctn)	188917787-06SL					
1/4-20x3 (1M/ctn)	188917817-06SL					
1/4-20x3-1/2 (900/ctn)	188917857-06SL					
1/4-20x4 (700/ctn)	188917897-06SL					
1/4-20x5 (350/ctn)	188917927-06SL					
1/4-20x6 (300/ctn)	188917937-06SL					

All 1/4-20 Floor Screws are Single Lead (Same Thread as a Type F)

OVER 100 MILLION SOLD YEARLY

5/16" TORX® OR 6-LOBE FLAT HEAD FLOOR SCREWS

Zinc, Bake & Wax

SIZES AVAILABLE	PART #	500	1,000	2,500	5,000	10,000
5/16-18x1	F9119667-06					
5/16-18x1-1/4 (2M/ctn)	188919687-06SL					
5/16-18x1-1/2 (1800/ctn)	188919707-06SL					
5/16-18x1-3/4 (1450/ctn)	188919727-06SL					
5/16-18x2 TRIPLE LEAD (1250/ctn)	188919747-06TL					
5/16-18x2 SINGLE LEAD (1250/ctn)	188919747-06SL					
5/16-18x2-1/4 (1M/ctn)	188919767-06SL					
5/16-18x2-1/2 (1M/ctn)	188919787-06SL					
5/16-18x3 (750/ctn)	188919817-06SL					
5/16-18x3-1/2 (650/ctn)	188919857-06SL					
5/16-18x4 (500/ctn)	188919897-06SL					
5/16-18x4-3/4 (N/A)	188919997-06SL					
5/16-18x5 (350/ctn)	188919927-06SL					
5/16-18x6 (300/ctn)	188919937-06SL					
5/16-18x2-1/2 TRUSS (700/ctn)	188919785-06SL					

Engineered Components

visit our web site for a video tour
www.engcomponents.com




1/4 & 5/16 TORX® OR 6-LOBE PAN HEAD THREAD FORMING FLOOR SCREWS ZINC, BAKE & WAX

SIZES AVAILABLE	PART #	500	1,000	2,500	5,000	10,000	25,000	50,000
1/4-20x3/4	198917504-0682S							
1/4-20x1	198917664-0682S							
1/4-20x1-1/4	198917684-0682S							
1/4-20x1-1/2	198917704-0682S							
1/4-20x2	198917744-0682S							
1/4-20x4	198917894-0682S							
5/16-18x1	198919664-0682S							
5/16-18x1-1/4	198919684-0682S							
5/16-18x1-1/2	198919704-0682S							
5/16-18x2	198919744-0682S							
5/16-18x2-1/2	198919784-0682S							
5/16-18x3	198919814-0682S							
5/16-18x3-1/2	198919854-0682S							
5/16-18x4	198919894-0682S							
5/16-18x4-1/2	198919914-0682S							
5/16-18x5	198919924-0682S							
5/16-18x6	198919934-0682S							

All are Torx® or 6-Lobe Pan STL TFS Zinc, Bake & Wax \$25.00 Line Minimum \$50.00 Order Minimum
Torx® is a Trademark of Camcar Div. of Textron SL – Single Lead same as type F


LGE. QTY. Priced on application



1/4 & 5/16 TORX® OR 6-LOBE PAN HEAD TYPE 23 THREAD CUTTING SCREWS

SIZES AVAILABLE	PART #	500	1,000	2,500	5,000	LGE. QTY. Based on application
Torx® /6-Lobe Pan Head Type 23 TCS Zinc & Yellow & Wax						
1/4-20x1	F9117664-0782					
1/4-20x1-1/2	F9117704-0782					
1/4-20x2	F9117744-0782					
1/4-20x2-1/2	F9117784-0782					
1/4-20x3	F9117814-0782					
1/4-20x3-1/2	F9117854-0782					
Torx® /6-Lobe Pan Head Type 23 TCS PHOS OIL & WAX						
		500	1,000	2,500	5,000	LGE. QTY. Based on application
5/16-18x1	F9119664-0182					
5/16-18x1-1/4	F9019684-0199					

\$25.00 Line Minimum \$50.00 Order Minimum Torx® is a Trademark of Camcar Div of Textron




FLAT PHILLIPS TYPE F TCS

Hardened, Zinc & Baked

SIZES AVAILABLE	PART#	500	1,000	2,500	5,000	10,000	25,000
1/4-20x1	F3217667-06						
1/4-20x1-1/4	F2917687-06						
1/4-20x1-1/2	F2917707-06						
1/4-20x2	F2917747-06						
1/4-20x2-1/4	F2917767-06						
1/4-20x2-1/2	F2917787-06						
1/4-20x3	F2917817-06						
1/4x20x3-1/2	F2917857-0682F						
1/4-20x4	F2917897-06						
1/4-20x5	F2917927-0682F						
1/4-20x6	F2917937-0682F						

UNSLOTTED HEX WASHER HEAD TYPE F ZINC & BAKE



SIZES AVAILABLE	PART #	500	1,000	2,500	5,000	10,000	25,000
1/4-20x1/2	F2817343-06						
1/4-20x3/4	F2817503-06						
1/4-20x1	F2817663-06						
1/4-20x1-1/2	F2817703-06						
5/16-18x3/4	F2819503-06						
5/16-18x1	F2819663-06						
5/16-18x1-1/2	F2819703-06						
3/8-16x3/4	F2821503-06						
3/8-16x1	F2821663-06						
3/8-16x1-1/4	F2821683-06						
3/8-16x1-1/2	F2821703-06						

SLOTTED HEX WASHER "F" TCS Zinc

SIZES AVAILABLE	PART #	500	1,000	2,500	5,000	10,000	25,000
1/4-20 x 1/2							
1/4-20 x 3/4	F2717503-06						
1/4-20 x 1	F2717663-06						
1/4-20 x 1-1/4	F2717683-06						
1/4-20 x 1-1/2	F2717703-06						
1/4-20 x 2	F2717743-06						
1/4-20 x 3	F2717813-06						
5/16-18 x 3/4	F2719503-06						
5/16-18 x 1	F2719663-06						
5/16-18 x 1-1/4	F2719689-06						
5/16-18 x 1-1/2	F2719703-06						
3/8-16 x 3/4	F2721503-06						
3/8-16 x 1	F2721663-06						
3/8-16 x 1-1/4	F2721683-06						
3/8-16 x 1-1/2	F2721703-06						

Engineered Components

visit our web site for a video tour
www.engcomponents.com

SPECIAL FLOOR SCREWS T.F.S. & T.C.S.



PART #	500	1,000	2,500	5,000	10,000	25,000	50,000	100,000	250M+
1/4-20x2 Torx® or 6-Lobe Wafer Head TFS Phos, Oil and Wax									
F9117749-01TL									
16-10x2 Torx® or 6-Lobe Pan Head GR-5.1 TY-17 TCS 1-1/2 Thread Cad									
F8719744-02									
1/4-20x2-1/2 Torx® or 6-Lobe FLT T-40 Special Self Drilling Reamer Tek Zinc									
F8717789-06									
1/4-20x2-1/2 Torx® or 6-Lobe Wafer Head TCS Phos-Oil Wax									
F9117789-OIF									



SQUARE/PHILLIPS DRIVE FLAT HD TFS ZINC AND YELLOW & WAX NOSE LINER SELF TAPPING

SIZES AVAILABLE	PART #	1,000	2,000	5,000	10,000	25,000	50,000
1/4-20x1	F9917667-0782SL						

The above part can be used for nose plywood, liners, wood slats, tie rings...to name a few applications



SPECIAL AND REPLACEMENT FLOOR SCREW T.F.S. AND T.C.S.

PART #	500	1,000	2,500	5,000	10,000	25,000	50,000
11/32x2-1/4 Torx® or 6-Lobe Flat Head TFS Phos, Oil, and Wax (oversize replacement)							
F8799767-0182							
11/32x2-1/4 Torx® or 6-Lobe Flat Self Countersinking Type 23 TCS Phos, Oil, and Wax (oversize replacement self countersinking with special tapping feature)							
F8999767-0182							
5/16-18x2-1/4 Torx® or 6-Lobe Flat Self Countersinking TFS Phos, Oil, and Wax (special countersinking)							
F9119767-0182							
1/2-20x2 Torx® or 6-Lobe Pan Head "F" TCS Cad							
F9026744-02							

\$25.00 Line Minimum \$50.00 Order Minimum
 Torx® is a Trademark of Camcar Div. of Textron

**ASK FOR OUR FREE SAMPLE PACK
WITH 6 OF EACH PART**

SPECIAL FLOOR SCREWS T.F.S. & T.C.S.




PART #									
	500	1,000	2,500	5,000	10,000	25,000	50,000	100,000	250M+
5/16-18x1-3/4 Torx® or 6-Lobe Serrated Pan Head 23 GR-5 Cad, Wax, Lock Patch									
F9119729-0299IH (4037 IH)									
5/16-18x2-1/2 Torx® or 6-Lobe Flat Head 23 GR-5 TCS Phos and Oil									
F9119789-0199 (4037 IH)									
5/16-18x3 Torx® or 6-Lobe Button Head Undercut GR-5 "CA" Shank Slotted Phos, Oil and Wax									
188719819-0182C (4037 IH)									
5/16-18x2 Torx® or 6-Lobe Pan Head GR-8 TFS NIBS Under Head Zinc and Yellow and Bake									
F9119749-9027 (4037 IH)									



Torx® or /6-Lobe Pan Head TY-23 Zinc Yellow Bake and Stearic Wax							
SIZES AVAILABLE	PART #	500	1,000	2,500	5,000	10,000	25,000
1/4-20x1 (4037 IH)	F9117664-0782IH						
1/4-20x1-1/2 (4037 IH)	F9117704-0782IH						
1/4-20x2 (4037 IH)	F9117744-0782IH						
1/4-20x2-1/2 (4037 IH)	F9117784-0782IH						
1/4-20x3 (4037 IH)	F9117814-0782IH						
1/4x20x3-1/2 (4037 IH)	F9117854-0782IH						

ADDITIONAL THREAD CUTTING SCREWS



11/32-18x1-3/4 6-LOBE PAN HD TYPE 23 TCS WITH NIBS UNDERHEAD ZINC & YELLOW, WAX & INDUCTION HARDENED

Replacement for 5/16-18 Fasteners

Part # F9099729-0799IH

SIZES AVAILABLE	PART #	500	1,000	2,000	5,000	10,000	25,000	50,000



3/8-16x2 TORX OR 6-LOBE FLAT HD TYPE F TCS PHOS & OIL

Can be used for 5/16-18 replacement if 11/32 replacement not adequate

SIZES AVAILABLE	PART #	500	1,000	2,000	5,000	10,000	25,000	50,000



5/16-18x2-1/4 Slotted Flat Head Type TCS PHOS & OIL

SIZES AVAILABLE	PART #	500	1,000	2,000	5,000	10,000	25,000	50,000



ECONOMY SELF DRILLING LINER SCREWS

SIZES AVAILABLE	PART #	500	1,000	2,500	5,000	10,000	25,000	50,000	100,000
10-16x3/4 Combo Sq Phil Wafer Head With Serrations S/D ZY	71790-07T								
10-16x1 Combo Sq Phil Wafer Head With Serrations S/D ZY	400238-07T								
10-16x1-1/4 Combo Sq Phil Wafer Head With Serrations S/D ZY	400239-07T								
10-16x3/4 Torx® /6-Lobe Flat Wafer Head Self Drill Zinc	F8713508-06								
10-16x1 Torx® /6-Lobe Flat Wafer Head Self Drill Zinc	F8713668-06								
10-24x3/4 Phil Flat Wafer Head Self Drill Zinc	F3513508-06								
10-24x1 Phil Flat Wafer Head Self Drill Zinc	F3513669-06								
10-24x1-1/4 Phil Flat Wafer Head Self Drill Zinc	F3513688-06								
10-16x1 Sq Drive Flat Head Self Drill Zinc	F3466667-0682								

\$25.00 Line Minimum

\$50.00 Order Minimum

Torx® is a Trademark of Camcar Div of Textron

STADLER SELF DRILLING LINER & FLOOR SCREWS

Square/Phillips Combo Drive Flat Not Countersunk, Z & Y Wax

SIZES AVAILABLE	PART #	500	1,000	2,500	5,000	10,000	25,000	50,000	100,000
10x3/4	71790-07								
10x1	400238-07								
10x1-1/4	400239-07								

Torx® /6-Lobe Flat Head Countersunk With Wings, Zinc & Wax



SIZES AVAILABLE	PART #	500	1,000	2,500	5,000	10,000	25,000	50,000	100,000
1/4x1-3/4	425857-06						Available Upon Request		
1/4x2	425859-06								
1/4x2-3/8	400184-06								
1/4x2-3/4	425862-06								

visit our web site for a video tour
www.engcomponents.com



TORX PLUS® DRILLITE® WALL-LINER FASTENERS

	ECC Part #	500	1,000	2,500	5,000	10,000	15,000	25,000	50,000	100,000
10-24 x 0.700 Torx Plus® Wafer Head	F8713499-07									
10-24 x 7/8 Torx Plus® Wafer Head	F8713589-07									
10-24 x 1 Torx Plus® Wafer Head	F8713669-07									
10-24 x 1-3/8 Torx Plus® Wafer Head	F8713699-07									
10-24 x 1-3/4 Torx Plus® Wafer Head	F8713729-07									

Specifications

Torx® is a Registered Trademark of Camcar Textron

- Sizes: #10
- Head Style: Wafer head with locking serrations
- Drive System: Torx Plus® Drive
- Thread Style: Round-body Taptite®
- Material: Low carbon steel
- Heat treat: Case hardened
- Plating: Zinc and yellow chromate

**SELF-DRILLING CARBON
STEEL FASTENERS**
Zinc Plated

1/4" Diameter Type 5 Point 3/8" Hex Washer Head


SIZE	Carton Quantity	ECC PART #	1,000	2,500	5,000	10,000	15,000	25,000
1/4-14 x 3	1m	EC1-DF3-5B988						
1/4-14 X 5	500	EC2-DF3-5B838						
1/4-14 X 6	250	EC3-DF3-5B839						
1/4-14 X 8	100	EC4-DF3-5C096						

**ADDITIONAL SPECIAL SELF DRILLING SCREWS**

PART #	500	1,000	2,500	5,000	10,000	25,000	50,000
12-14 x 1-1/4 Torx® or 6-lobe Wafer Head #3 Point .0003 Cad J.D. 5+ (4000Hr. Salt Spray)							
F8768689-98							
14-14 x 1-9/16 Torx® or 6-lobe Wafer Head #3 Point Zinc & Yellow							
F8717999-07							

PART #	1,000	2,500	5,000	10,000	25,000	50,000
11x5/8 flat HD Self Counter Sinking Liner self Drilling Screws Zinc Yellow						
11x7/16 Flat HD Self Counter Sinking Liner 'AB' SMS Zinc Yellow						

FOR USE IN PLASTIC, FIBRE GLASS OR COMPOSITE TRAILER AND TRUCK BODY LINERS



SQUARE AND DOUBLE SQUARE DRIVE SELF DRILLING SCREWS

SIZES AVAILABLE	PART #	1,000	5,000	10,000	25,000	50,000	100,000	250,000
Square or Double Square Truss Head — Plain Finish								
10-16x1/2	F9966345-00							
10-16x3/4	F9966505-00							
10-16x1	F9966665-00							
Square or Double Square Truss Head — Cad Plating								
10-16 x 1/2	F9966345-02							
10-16x3/4	F9966505-02							
10-16x1	F9966665-02							
Square or Double Square Truss Head — .0003-.0005 Cad & J.D. #5+ (4000 Hours Salt Spray)								
10-16x1/2	F9966345-96							
10-16x3/4	F9966505-96							
10-16x1	F9966665-96							
Square or Double Square Truss Head — Plain Finish								
11-16x1/2	F9999345-00							
11-16x3/4	F9999505-00							
11-16x1	F9999665-00							
Square or Double Square Truss Head — Cad Plating								
11-16 x 1/2	F9999345-02							
11-16x3/4	F9999505-02							
11-16x1	F9999665-02							
Square or Double Square Truss Head — .0003-.0005 Cad & J.D. #5+ (4000 Hours Salt Spray)								
11-16x1/2	F9999345-96							
11-16x3/4	F9999505-96							
11-16x1	F9999665-96							




GARAGE DOOR SELF DRILLING SERRATED SCREWS

Hex Washer 7/16" Across Flats Zinc



SIZES AVAILABLE	PART#	500	1,000	2,500	5,000	10,000	25,000
1/4-20x5/8							
1/4-20x3/4	F3417503-06						

ADDITION SPECIAL SELF DRILLING SEE PAGE 00



POLY SEAL T-NUTS

Encapsulated Grey or White
Other Colors Available, Call for Pricing

SIZES AVAILABLE	PART #	1,000	2,000	6,000	10,000	25,000	50,000	100,000	250,000	500M
1/4-20x7/16 Ribbed T-Nut GR 5.1 Case Hardened Zinc (R)	F9917348-0201 F9917348-0707									
1/4-20 x 7/16 Long Ribbed (.350) T-Nut GR 5.1 Case Hard Z & Y (R)	F9917348-7501 F9917348-7507									
1/4-20x7/16 Plain Barrel T-Nut Zinc (P)	449217300-07 449217300-01									
1/4-20 x 5/16 Ribbed T-Nut GR 5.1 Case Hardened Zinc (R)	F9917209-0607 F9917209-0601									
5/16-18x1/2 Ribbed T-Nut GR 5.1 Case Hardened Zinc (R)	F9919348-1007 F9919348-1001									
5/16-18x7/16 Plain Barrel 1022 Steel T-Nut Zinc & Dich. (P)	44921930-01 449219309-07									
5/16-18x5/8 Plain Barrel 1022 Steel T-Nut Zinc & Dich. (P)	449219420-01 449219420-07									
5/16-18x7/16 GR-5.1 Barbed T-Nuts (B)	F9219309-9401									
5/16-18x1/2 449219340-01 Barbed T-Nuts (B)	449219340-07									

1/4-20x1/2 Barbed Available on Request, 1/4-20x7/16 Barbed Available on Request, 5/16-18x7/16 Barbed Available on Request
All Prices Are Per Thousand \$25.00 Line Minimum \$50.00 Order Minimum



CLOSED END T-NUTS

**OTHER SIZES OF MOLDED T NUTS
AVAILABLE UPON REQUEST**

SIZES AVAILABLE	PART #	500	1,000	2,500	5,000	10,000	25,000
5/16-18x7/16 T-NUT ZY NOT ENCAPED	44193099-07						
5/16-18x1/2 GR-5.1 RIB T-NUT ZINC NOT ENCAPED	F9919348-02						
5/16-18x5/8 T-NUT ZY NOT ENCAPED	44194299-07						

visit our web site for a video tour
www.engcomponents.com



MATING SCREWS

For Use With Molded T-Nuts or
 Other Stitching Applications

SIZES AVAILABLE	PART #								
		500	1,000	2,500	5,000	10,000	25,000	50,000	100,000
Torx® or 6-Lobe Truss Washer Head Zinc With Lock Patch									
1/4-20x7/16	F8717305-0692								
1/4-20x1/2	F8717349-06								
1/4-20x3/4	F8717509-06								
5/16-18x1/2	F8719349-0692								
5/16-18x3/4	F8719509-0692								
Torx® or 6-Lobe Truss Washer Head Zinc With Shoulder and Lock Patch									
1/4-20x1/2 (1/8 Shoulder)	F8717348-0692								
1/4-20x5/8 (1/8 Shoulder)	F8717428-0692								
1/4-20x3/4 (1/8 Shoulder)	F8717508-0692								
1/4-20x1 (1/8 Shoulder)	F8717668-0692								
5/16-18x1/2 (3/16 Shoulder)	F8719348-0692								
5/16-18x5/8 (3/16 Shoulder)	F8719428-0692								
5/16-18x3/4 (3/16 Shoulder)	F8719508-0692								
5/16-18x7/8 (3/16 Shoulder)	F8719588-0692								
5/16-18x1 (3/16 Shoulder)	F8719668-0692								
5/16-18x1-1/8 (3/16 Shoulder)	F8719678-0692								
5/16-18x1-1/4 (3/16 Shoulder)	F8719688-0692								
Misc. Torx® or 6-Lobe Mating Screws									
*1/4-20x11/16 (Small Button) Patch Zinc	F8717469-06								
*1/4-20x1 Truss GR-5.1 .0003min CA/JD5+	F8717665-96								
*5/16-18x1/2 (Truss) Patch Zinc	18871934-0699								
*5/16-18x3/4 (Truss) Patch Zinc	18871950-0699								
*5/16-18x15/16 GR5.1 (Button) Patch Zinc	F8719629-9692								
*5/16-18x1 BTN GR-5.1 UC Washer .0003min CA/JD 5+, Patch	F8719628-9692								
*5/16-18x1-3/8 Truss UC Washer CAD Patch	F8719699-02								



* Other Options May Be Available
 P. O. A. = Priced on Application

\$25.00 Line Minimum \$50.00 Order Minimum
 Torx® is a Trademark of Camcar Div of Textron

visit our web site for a video tour
www.engcomponents.com

FIBERGLASS REINFORCED PANEL

The FRP bolt has been designed to provide a low profile, large diameter head and radius fillet for an even pressure clamp load. The ribbed neck provides a lock into the hinge or FRP panel to prevent unwanted twisting.



FRP Bolt— The FRP bolt has been designed to provide a low profile, large diameter head and radius fillet for an even pressure clamp load. The ribbed neck provides a lock into the hinge or FRP panel to prevent unwanted twisting.

Size	1/4	5/16	1/2	3/4	1	1-1/4	1-1/2	1-3/4	2	2-1/4	2-1/2	2-3/4	3
1/4													
5/16													
3/8													
1/2													

** Denotes items available upon request

Longer lengths and larger diameters may be available upon request

visit our web site for a video tour
www.engcomponents.com

4 T-NUT STYLES WITH 5 MATING SCREW OPTIONS

The below grip ranges cover
our 1/4-20 ribbed t-nuts grade 5.1

	PART #	STANDARD	MODIFIED	STANDARD	MODIFIED
		1/4-20 x 7/16	1/4-20 x 7/16	1/4-20 x 5/16	1/4-20 x 5/16
1/4-20 Mating Screws		F9917348	F9917348 (M)	F9917209	F9917209 (M)
1/4-20x.260 (NS)	F8717999	.425 - .470	.360 - .400	.300 - .340	.199 - .275
1/4-20x.310/.330 (NS)	F8717300	.410 - .495	.350 - .420	.310 - .360	.250 - .320
1/4-20x.7/16 (NS)	F8717305	.435 - .600	.390 - .520	.400 - .490	.335 - .420
1/4-20x.1/2 (NS)	F8717349	.470 - .685	.445 - .615	.470 - .550	.435 - .480
1/4-20x1/2(S)	F8717348	.510 - .660	.450 - .580	.460 - .540	.390 - .480
1/4-20x.5/8 (S)	F8717428	.610 - .765	.585 - .725	.590 - .670	.515 - .600
1/4-20x.3/4 (S)	F8717508	.745 - .900	.725 - .850	.740 - .810	.670 - .730

The above grip ranges may vary slightly due to tolerances on both nut length, mold, and mating screws.

NS – NO SHOULDER

S – WITH SHOULDER

06 – ZINC

0692 – ZINC WITH LOCK PATCH

M – MODIFIED

SEVERAL OTHER SIZES OF MATING SCREWS ARE AVAILABLE TO FIT OTHER GRIPS.
THE SIX ABOVE ARE THE MOST WIDELY USED

GRIP RANGES FROM .195 TO 2" PLUS

E-TRACK AND FRP BLIND NUTS

Nic Nut the Molded (Encapsulated) and
 Blind Rivet Alternative

Use Standard Blind Rivets or Structural Blind Rivets as a Mating Part



GRIP RANGE	1/4" BLIND OR STRUCTURAL RIVET	
.490 -	.604	8-4
.532 -	.715	8-6
.642 -	.850	8-8
.755 -	.945	8-10
.865 -	1.057	8-12
.997 -	1.229	8-14
1.112 -	1.341	8-16

Hole Size: 13/32"

Dimensions:

Head Dia. 1-1/8"

Head Ht. .199"

Length Under Head .490"

**See page 88 for more specifications*

DURA PLATE™ OR THIN PANEL POLYSEAL T-NUT & MATING SCREW

Encapsulated Grey or White Call For Pricing



SIZES AVAILABLE	PART #	500	1,000	2,500	5,000	10,000	25,000
1/4-20x7/16 Ribbed T-Nut GR 5.1	F9917349-0201m						
Modified Head Case Hardened Cad (R)	F9917349-0207m						
1/4-20x310/330 TR. Wash Undlt GR 5.1 Zinc LP	F8717300-0692						

4 T-NUT STYLES WITH 5 MATING SCREW OPTIONS

The below grip ranges cover
our 1/4-20 ribbed t-nuts grade 5.1

FRP / COMPOSITE PANEL GRIP RANGE CHART for ENGINEERED COMPONENTS • T-NUTS •

PLYWOOD CORE THICKNESS

1/4"	(.250")
5/16"	(.281")
3/8"	(.344")
1/2"	(.469")
5/8"	(.594")
3/4"	(.719")
1"	(.938")

OVERALL THICKNESS RANGE

.300 - .370"
.330 - .390"
.390 - .460"
.520 - .590"
.640 - .710"
.760 - .820"
.970 - 1.050"


Code No.	Mating Bolt Length	LP* Color	1/4-20x7/16"	Encapsulated T-NUT Sizes 5/16-18x1/2"	5/16-18x5/8"
0	7/16"	White	.437 - .580"	N/A	N/A
1	1/2"	Yellow	.530 - .675"	.475 - .680"	.640 - .840"
2	5/8"	Green	.650 - .800"	.540 - .800"	.640 - .940"
3	3/4"	Blue	.790 - .920"	.675 - .900"	.750 - 1.050"
4	15/16"	Orange	.900 - 1.015"	.850 - 1.075"	.900 - 1.200"
5	1"	Brown	1.025 - 1.140"	.920 - 1.160"	.990 - 1.320"
6	1-1/8"	Yellow	1.140 - 1.300"	1.070 - 1.300"	1.120 - 1.145"
7	1-1/4"	Blue	1.280 - 1.440"	1.200 - 1.430"	1.260 - 1.575"
8	1-1/2"	Orange	1.570 - 1.690"	1.400 - 1.650"	1.440 - 1.820"
9	1-3/4"	White	1.800 - 2.000"	1.650 - 1.925"	1.710 - 2.060"

Note: All Grip Ranges shown are approximate due to variable part tolerances. For dimensional verification, sample parts are available from ENGINEERED COMPONENTS at no charge

*LP = Micro-Encapsulated Locking Patch applied on Threads of All Mating Bolts

ENGINEERED COMPONENTS COMPANY

ENCAPSULATED FRP FASTENING SYSTEM




****ANY COLOR AVAILABLE ON ALL T-NUTS**

ECC PART NUMBER	THREAD SIZE	A	B	C	**STANDARD HEAD COLOR	NECK	HOLE SIZE
F9917348-0707	1/4-20	0.825	0.250	0.425	GRAY	RIBBED	Call For Recommended Hole Size
F9917348-14	1/4-20	0.825	0.250	0.425	PENSKE	RIBBED	
F9917348-08	1/4-20	0.825	0.250	0.425	RYDER	RIBBED	
F9917348-0201	1/4-20	0.825	0.250	0.425	WHITE	RIBBED	
F9919348-1007	5/16-18	1.100	0.258	0.455	GRAY	RIBBED	
449219340-14	5/16-18	1.100	0.258	0.455	PENSKE	BARBED	
449219340-08	5/16-18	1.100	0.258	0.455	RYDER	BARBED	
449219340-01	5/16-18	1.100	0.258	0.455	WHITE	BARBED	
F9219309-9401	5/16-18	1.100	0.258	0.405	WHITE	BARBED	
449219420-07	5/16-18	1.100	0.258	0.625	GRAY	PLAIN	
449219309-07	5/16-18	1.100	0.258	0.438	GRAY	PLAIN	

CAP: INJECTION MOLDED WITH VIRGIN POLY MATERIAL

FINISH: 1/4-20 RIBBED CAD
5/16-18 BARBED ZINC DYCAST
5/16-18 PLAIN BARREL ZINC & YELLOW

ENGINEERED COMPONENTS COMPANY**TRUSS WASHER HEAD MATING FASTENERS
FOR FRP FASTENING SYSTEMS**


ECC PART NUMBER	THREAD SIZE	THREAD			LOCK	
		A	B	C	PATCH COLOR	SHOULDER
F8717305-0692	1/4-20	0.725	0.165	.407-.437	NATURAL	NO
F8717349-06	1/4-20	0.725	0.165	.470-.500	YELLOW	NO
F8717348-0692	1/4-20	0.725	0.165	.470-.500	YELLOW	YES
F8717428-0692	1/4-20	0.725	0.165	.595-.625	GREEN	YES
F8717508-0692	1/4-20	0.725	0.165	.720-.750	BLUE	YES
F8717668-0692	1/4-20	0.725	0.165	.845-.875	YELLOW	YES

FINISH: ZINC

LOCK PATCH: 3M OR EQ. MICRO ENCAPSULATED

ENGINEERED COMPONENTS COMPANY

TRUSS WASHER HEAD MATING FASTENERS FOR FRP FASTENING SYSTEM




ECC PART NUMBER	THREAD SIZE	A	B	C	LOCK PATCH COLOR	SHOULDER
F8719305-0692	5/16-18	0.870	0.188	7/16	BLUE	NO
F8719349-0692	5/16-18	0.870	0.188	.500-.530	YELLOW	NO
F8719428-0692	5/16-18	0.870	0.188	.595-.625	GREEN	YES
F8719508-06	5/16-18	0.870	0.188	.720-.750	BLUE	YES
F8719588-0692	5/16-18	0.870	0.188	.845-.875	YELLOW	YES
F8719668-0692	5/16-18	0.870	0.188	.950-1.000	GREEN	YES
F8719678-0692	5/16-18	0.870	0.188	1.075-1.125	BLUE	YES

FINISH: ZINC

LOCK PATCH: 3M OR EQ. MICRO ENCAPSULATED

Engineered Components

visit our web site for a video tour
www.engcomponents.com



TORX® FLAT HEAD MACHINE SCREWS

Alloy Steel Heat Treated Class 3A


REFERENCE#	T-45 DRIVE
09543	3/8-16x1/2
39543	3/8-16x5/8
69543	3/8-16x3/4
20643	3/8-16x1
50643	3/8-16x1-1/4
80643	3/8-16x1-1/2
11643	3/8-16x1-3/4
41643	3/8-16x2
71643	3/8-16x2-1/4
02643	3/8-16x2-1/2
62643	3/8-16x3

Other sizes available from #2 thru 3/4 N.C. and N.F.
 Torx® is a Registered Trademark of Camcar Textron

REFERENCE#	T-50 DRIVE
35643	1/2-13x3/4
26643	1/2-13x1
56643	1/2-13x1-1/4
86643	1/2-13x1-1/2
17643	1/2-13x1-3/4
47643	1/2-13x2
77643	1/2-13x2-1/4
08643	1/2-13x2-1/2
68643	1/2-13x3

BUTTON SOCKET WASHER FLANGE GR-8 PLAIN

Can be used for mating screw on molded or unmolded T-Nuts 1/4 and 5/16-18



SIZES AVAILABLE	500	1,000	2,500	5,000	10,000	25,000
1/4-20x3/8						
1/4-20x1/2						
1/4-20x3/4						
1/4-20x1						
5/16-18x3/8						
5/16-18x1/2						
5/16-18x5/8						
5/16-18x3/4						
5/16-18x1						
3/8-16x1/2						
3/8-16x3/4						
3/8-16x1						
3/8-16x1-1/4						

The 3/8-16 parts can be used as bottom rail bolts or be used with T-nuts or lock nuts for various applications

Flat Head Grade 2 Zinc

Size	Part #	500	1,000	2,500	5,000	10,000	25,000
1/4-20 x 3/4	F8717507-06						
1/4-20 x 1	F8717667-06						
1/4-20 x 1-1/4	F8717687-06						
1/4-20 x 1-1/2	F8717707-06						
1/4-20 x 1-3/4	F8717727-06						
1/4-20 x 2	F8717747-06						

Pan Head Grade 2 Zinc

Size	Part #	500	1,000	2,500	5,000	10,000	25,000
1/4-20 x 3/4	F8717508-06						
1/4-20 x 1	F8717688-06						
1/4-20 x 1-1/4	F8717684-06						
1/4-20 x 1-1/2	F8717704-06						
1/4-20 x 1-3/4	F8717724-06						
1/4-20 x 2	F8717744-06						


Flat Head Grade 8 Plain

Size	Part #	500	1,000	2,500	5,000	10,000	25,000
1/4-20 x 3/8	EC-34506						
1/4-20 x 1/2	EC-34509						
1/4-20 X 5/8	EC-34515						
1/4-20 X 3/4	EC-34518						
1/4-20 X 1	EC-34524						
1/4-20 X 1-1/2	EC-34530						
1/4-20 X 1-3/4	EC-34533						
1/4-20 X 2	EC-34536						
5/16-18 X 1/2	EC-34548						
5/16-18 X 5/8	EC-34554						
5/16-18 X 3/4	EC-34557						
5/16-18 X 1	EC-34563						
5/16-18 X 1-1/4	EC-34566						
5/16-18 X 1-1/2	EC-34572						
5/16-18 X 2	EC-34578						

visit our web site for a video tour
www.engcomponents.com

RIB NECK GR-5.1 CARRIAGE BOLT ZINC

Ribneck Head can be molded



SIZES AVAILABLE	PART #	500	1,000	2,500	5,000	10,000	25,000
1/4-20x3/4	F6717500-06						
1/4-20x1	F6717660-06						
1/4-20x1-1/4	F6717680-06						
1/4-20x1-1/2	F6717700-06						
1/4-20x1-3/4	F6717720-06						
1/4-20x2	F6717740-06						
5/16-18x1	F6719660-06						
5/16-18x1-1/4	F6719680-06						
5/16-18x1-1/2	F6719700-06						
5/16-18x1-3/4	F6719720-06						
5/16-18x2	F6719740-06						
5/16-18x2-1/2	F6719780-06						
5/16-18x3	F6719810-06						
3/8-16x1-1/4 .375 Rib	F6721681-06						
3/8-16x1-1/2	F6721700-0688						
3/8-16x1-3/4	F6721720-06						
3/8-16x2	F6721740-06						
3/8-16x2-1/2	F6721780-06						
3/8-16x3	F6721810-06						

\$25.00 Line Minimum \$50.00 Order Minimum

Rib Neck T-Nuts are a Patented Item

EXTERIOR STITCHING FASTENERS

For Truck Trailers, Truck bodies,
Tag-A-Longs, Container, Utility & Rental Trailers


SIZES AVAILABLE	PART #								
		500	1,000	2,500	5,000	10,000	25,000	50,000	100,000
Torx® or 6-Lobe Undercut Pan Head With Sealing Washer, Lock Patch and Cad									
1/4-20x1/2	F8717349-0198								
1/4-20x7/8	F8717589-0198								
1/4-20x1 1/16	F8717469-0198								
1/4-20x1-1/4	F8717689-0198								
1/4-20x1-5/8	F8717719-0198								
T-Nuts Zinc (Mating Parts for Above Fasteners)									
1/4-20x7/16	F0817307-06								
1/4-20x1/2	F0817347-06								
1/4-20x5/8	F0817427-06								
Torx® or 6-Lobe Undercut Button Head with Sealing Washer, Lock Patch and Cad									
5/16-18x3/4	F8719509-9692								
5/16-18x15/16†	F8719629-969287								
5/16-18x1	F8719628-9692								
5/16-18x1-3/8	F8719699-02								
T-Nuts (Trailer Nuts) Zinc Mating Parts for Above Fasteners									
5/16-18x3/8 Weld Nut (With Nibs)	F0819240-06								
5/16-18x5/8 (Undercut)	F0819429-06								
Torx® or 6-Lobe Large 3/4" Dia Truss Head Undercut with O-Ring, Lock Patch and Cad									
1/4-20x1 1/16	F8717465-0398								
1/4-20x1-5/8	F8717715-0398								
Hex Washer Head 3/8" Full Body Shoulder with Sealing Washer or Plastisol, Lock Patch and Cad Plating									
5/16-18x3/4	F1819509-9692								
5/16-18x1	F1819669-9692								
5/16-18x1-1/4	F1819689-9692								
Hex Washer Flange Head GR-5.1, No Shoulder with Sealing Washer and Cad Plating									
5/16-18x3/4*	F1119509-96								
Torx® or 6-Lobe Button HD Undercut with Sealer 0003 min. Cad and J.D.									
3/8-16x1	F8721665-9892								
Torx® or 6-Lobe Truss undercut with O ring Seal 18-8 stainless									
5/16-18x3/4*	F8719509-19								
Torx® or 6-Lobe Truss Hd Gr 5.1 Ms .003 Cad J.D. 5+ (4000 Hr Salt Spray)									
1/4-20x1	F8717665-96								
(EQ to Corro Flo) Many Other Parts with Sealer Underhead Available from Stock)									

* This part can also be used as a grain bin bolt.
Note: Additional Parts Available. See Price Sheet
on Mating Screws & Molded Fasteners
P. O. A. = Priced on Application

\$25.00 Line Minimum \$50.00 Order Minimum
Torx® is a Trademark of Camcar Div of Textron
Corro Flo may be a trade mark of Camcar Div. of Textron
†No Lock Patch

visit our web site for a video tour
www.engcomponents.com

M6 TORX®/6-LOBE T-NUTS & BOLTS



BOLTS MOLDED (ENCAPSULATED) OR NON-MOLDED

PART #	500	1,000	2,500	5,000	10,000	25,000	50,000
M6-1.0x8.00 Torx® or 6-Lobe T-50 Drive GR-5.1 T-Nut .0003 Zinc							
F0817205-06							
M6-1.0x9.52 Torx® or 6-Lobe T-50 Drive GR-5.1 T-Nut .0003 Zinc							
F0817245-06							
M6-1.0x12.7 Torx® or 6-Lobe T-50 Drive GR-5.1 T-Nut .0003 Zinc							
F0817345-06							
M6-1.0x15.49 Rib Undercut GR-5.1 HDRPT .0003 CAD & JD Lock Patch & Seal UH							
F6717419-963092							
M6-1.0x18.67 Rib Undercut GR-5.1 HDRPT .0003 CAD & JD Lock PA & Seal UH							
F6717499-963092							


Call For Pricing on Molded Encapsulated Grey or White
Also Available Without Seal at Lower Cost
JD DIP on .0003 Cad has 1500 Hours of Salt Spray
\$25.00 Line Minimum \$50.00 Order Minimum
Torx® is a Trademark of Camcar Div. Of Textron

PART #	500	1,000	2,500	5,000	10,000	25,000	50,000
3/8-16x1 Torx® or 6-Lobe Btn Hd Undercut .0003 Min CAD & JD and Sealer Under Head							
F8721665-9892							
3/8-16x1-7/8 Torx® or 6-Lobe Btn Hd Undercut .0003 Min CAD & JD and Sealer Under Head							
F8721735-9892							

F8721665-9892 and F8721735-9892 are alternates to
Coro Flo and are not Mfg. by Camcar

F8721735-9892 may be 10,000 pcs min. order

The above parts may or may not be manufactured by Camcar
Torx® is a Registered Trademark of Camcar Textron
Coro Flo® is a Registered Trademark of camcar Textron

**REAR DOOR HARDWARE
F.R.P. ASSEMBLY AND REPAIR**

Call For Pricing For Encapsulated Head

PART #	500	1,000	2,500	5,000	10,000	25,000	50,000
5/16-18x3/8 Torx® or 6-Lobe T-55 Drive GR-5.1 T-Nut Zinc							
F0819245-06							
5/16-18x1/2 Torx® or 6-Lobe T-55 Drive GR-5.1 T-Nut Zinc							
F0819345-06							
5/16-18x5/8 Torx® or 6-Lobe T-55 Drive GR-5.1 T-Nut Zinc							
F0819425-06							
5/16-18x3/4 Rib Undercut GR-5.1 HDR PT .0003 CA and JD Lock Patch & Seal							
F6719500-963092							
5/16-18x7/8 Rib Undercut GR-5.1 HDR PT .0003 CA and JD Lock Patch & Seal							
F6719580-963092							
5/16-18x1 Rib Undercut GR-5.1 HDR PT .0003 CA and JD Lock Patch & Seal							
F6719660-963092							
5/16-18x1-1/4 Rib Undercut GR-5.1 HDR PT .0003 CA and JD Lock Patch & Seal							
F6719680-963092							
5/16-18x1-1/2 Rib Undercut GR-5.1 HDR PT .0003 CA and JD Lock Patch & Seal							
F6719700-963092							

**STEP BOLT GRADE 5**

Also Available Without Seal at Lower Cost
JD DIP on .0003 Cad has 1500 Hours of Salt Spray
P. O. A. = Priced on Application
Torx® is a Trademark of Camcar Div. of Textron

PART #	500	1,000	2,500	5,000	10,000	25,000	50,000
3/8-16 x 1-1/2 Gr5 Step Bolt 0005 Zinc + J.D. Dip (500Hr. Salt Spray)							
F1521709-06							
3/8-16 x 1-1/4 Gr-5 Step Bolt Zinc							


Other Grade 5 Step Bolts Available Upon Request

DOOR HOLD BACK HARDWARE Hot Dip Galvanized

SIZES AVAILABLE	PART #	500	1,000	2,500	5,000	10,000	25,000	50,000
1/4" dia. 3 Loop Chain Galv.	F9913998-13							
1/4" dia. 2 Loop Chain Galv.	F9913997-13							
1/4" dia. Split Lap Link Galv.	F9917999-13							
5/16" dia. Hook PP Galv.	F9913999-13							

All Parts Hot Dip Galv.

visit our web site for a video tour
www.engcomponents.com




ABM PANELOK™

Anchor Bolt & Screw Co. has taken the worry out of FRP and door hardware fasteners with the uniquely designed, built-to-last ABM Panelok™ System.


Our years of experience have allowed us to engineer this part for extra strength and durability. The ABM Panelok™ has been proven to outlast all other door and FRP hardware currently available in the market.

Often imitated, never duplicated.



ABM Panelok™ Bolts – This modified FRP bolt has been designed to provide a low profile, large diameter head and radius fillet for an even pressure clamp load. It has been designed with an undercut radius. The locking feature on this part provides a chemical bond with the accompanying T-Nut. The ribbed neck provides a lock into the hinge or FRP panel to prevent unwanted twisting.

	7/8	1	1-1/4
5/16-18			



ABM Panelok™ T-Nut – This special T-Nut has been designed with a low profile head and a T-55 Torx® (or equivalent 6 lobe) drive to make this a tamper resistant fastening system.

	3/8	1/2	5/8
5/16-18			

Numbers in tables are Base Items
 Please refer to page 00

Engineered Components

visit our web site for a video tour
www.engcomponents.com



CAMTAINER® FASTENING SYSTEM

Nut & bolt systems for truck trailer assemblies

Steel, High Corrosion Resistant Plated Camtainer® Bolts	ECC Part #	500	1,000	2,500	5,000	10,000	25,000
M6 x 1.0 x 12.32mm	F9571-05206						
M6 x 1.0 x 15.49mm	F9572-01406						
M6 x 1.0 x 18.67mm	F9573-00506						
M6 x 1.0 x 21.84mm	F9574-00606						
M6 x 1.0 x 25.02mm	F9575-02706						
5/16-18 x 5/8	F9576-06408						
5/16-18 x 3/4	F9577-00508						
5/16-18 x 7/8	F9578-21128						
5/16-18 x 1	F9579-02928						
5/16-18 x 1 1/4	F9580-00038						
5/16-18 x 1 7/16	F9581-09058						
Steel, High Corrosion Resistant Plated Camtainer® II Encapsulated (Molded) Bolts							
M6 x 1.0 x 12.32mm	F9582-C5206						
M6 x 1.0 x 15.49mm	F9583-C1406						
M6 x 1.0 x 18.67mm	F9584-C0506						
M6 x 1.0 x 21.84mm	F9585-C0606						
M6 x 1.0 x 25.02mm	F9586-C6408						
5/16-18 x 5/8	F9587-C0508						
5/16-18 x 3/4	F9588-C1128						
5/16-18 x 7/8	F9589-C2928						
5/16-18 x 1	F9590-C0038						
5/16-18 x 1 7/16	F9591-C9508						
Steel, High Corrosion Resistant Plated Torx® Drive Flanged Nuts							
M6 x 8.00mm	F9592-00074						
M6 x 9.52mm	F9593-00084						
M6 x 12.70mm	F9594-00005						
5/16 x 1.000	F9598-55006						

Torx® is a Registered Trademark of Camcar Textron
 Camtainer® is a registered trademark of Camcar Textron

NEW ERA IN RUST PROTECTION

"**The next best thing to stainless steel**" an upgrade to your plated steel parts. We currently supply various fasteners and other components that will reach **4,000 hour salt spray** for a clear silver finish and close to **4,200 hours** for a yellow dichromate finish.

ECC has concluded our testing, and are now offering our new coating that will achieve **10,000 PLUS hours**.

Engineered Components Company has been an **INNOVATOR** in achieving the highest salt spray results in our industry.


Our economy has been faced with runaway prices for stainless steel components. All forecasting for future costs have been thrown out the window. We believe prices will continue to fluctuate for the unforeseeable future.

Greater demands are being put on the corrosion resistance of plated steel components. Higher salt spray results are required by original equipment manufacturers across the country.

ECC WOULD BE PLEASED TO COAT AND TEST SAMPLES OF ITEMS YOU WISH TO CONVERT

**THE NEXT BEST THING TO
STAINLESS STEEL
4,000 HOURS & 10,000 PLUS HOURS SALT SPRAY**

BOTTOM RAIL BOLTS & NUTS



SIZES AVAILABLE	PART #							
		500	1,000	2,500	5,000	10,000	25,000	50,000
Torx® or 6-Lobe Steel GR-5.1 .0003 Minimum Cad with JD #5+ (to withstand 4000 hours)								
3/8-16x1 Button Shoulder GR-5.1	F8721668-96							
3/8-16x1-1/4 Button Shoulder GR-5.1	F8721689-96							
3/8-16x1-1/4 Truss w/Dog Shoulder Point GR-5.1	F8721687-98							
3/8-16x1-1/2 Truss Shoulder GR-5.1	F8721705-96							
3/8-16x1-7/8 Truss Shoulder GR-5.1	F8721735-96							
Torx® or 6-Lobe 18-8 (302) Stainless Steel Double Bright								
3/8-16x1 Button Head Shoulder Stainless	F8721668-19							
3/8-16x1-1/4 Button Head Shoulder Stainless	F8721689-19							
3/8-16x1 Truss Head Shoulder Stainless	F8721665-19							
3/8-16x1-1/2 Truss Head Shoulder Stainless	F8721705-19							
3/8-16x1-1/2 Button Head Shoulder Stainless	F8721709-19							
3/8-16 Nuts								
3/8-16 Nylon Insert LN Zinc	F0421000-06							
3/8-16 Serrated LN Case Hard Zinc	F0721000-06							
Encapsulated Bottom Rail Bolts								
3/8-16x1 Rib Neck CB GR-5.1 Grey	F6721668-0607							
3/8-16x1 Rib Neck CB GR-5.1 White	F6721668-0601							
3/8-16x1-7/8 Grey Rib Neck CB GR-5.1 Low Profile	F6721738-0607							
Self Tapping Bottom Rail Bolts (Torx® or 6-Lobe with Dog Point Thread Forming Plain Finish)								
3/8-16x1-1/4 Button	F8721689-0299							
Torx® or 6-Lobe Grade 5.1 Commercial Zinc Fine Thread								
3/8-24x1-1/4 Button	F8722689-06							

ADDITIONAL BOTTOM RAIL BOLTS AND MISCELLANEOUS ITEMS



3/8-16x1 BUTTON TAMPERPROOF TORX® OR 6 LOBE TRI-LOBE HARD ZINC

Tamper Resistant Rear Door Fastener

500	1,000	2,500	5,000	10,000	25,000	50,000	100,000

3/8-16x1-1/8 TORX® OR 6-LOBE TRUSS HD MS 18-8 SS

Truck Body Bottom Rail Bolt

500	1,000	2,500	5,000	10,000	25,000

3/8-16x2-1/4 TORX® OR 6-LOBE TRUSS HD MS 18-8 SS

Truck Body Bottom Rail Bolt

500	1,000	2,500	5,000	10,000	25,000

1/4 I.D. x 1-3/16 O.D. COUNTERSUNK FLAT WASHER

For 1/4" Flat Head Screws for Large Bearing Surface

500	1,000	2,500	5,000	10,000	25,000




Zinc Green Plated

10-32x3/8 SLOTTED IND HEX WASHER UC TYPE F TCS HARD ZINC & GREEN


Ground Screws

500	1,000	2,500	5,000	10,000	25,000	50,000	100,000	250,000

BOTTOM RAIL BOLTS



A Bottom Rail Bolt, also known as the cross member bolt, is a structural bolt used in the assembly of truck trailers. These bolts are used to fasten and hold the bottom rail and the side wall to the cross member. These bolts are designed to be strong, fasten tight, and remain tight.




Bottom Rail Bolts

Size	1/4	5/16	1/2	15/16	1	1-1/4	1-1/2	1-3/4	2	2-1/4	2-1/2	2-3/4	3
4													
5													
6													
8													
10													
12													
14													
1/4													
5/16													
3/8													
1/2													

** Denotes item available request

visit our web site for a video tour
www.engcomponents.com



REPAIR KITS

Bottom Rail
 Landing Gear
 Rear Door

ALL PRICES PER BAG

SIZES AVAILABLE	PART #					
		60	120	240	480	960
3 Piece Bottom Rail Kit (24 pieces per bag 8 Bolts, 8 Nuts, 8 Washers)						
3/8-16x1-1/4 Gr 5.1 Rib Neck Steel Carr Bolt Zinc with 3/8-16 Hex Flange Serr Steel Nut Zinc 3/8 Nylon Flat Washer	F9921689-99					

SIZES AVAILABLE	PART #					
		75	150	300	600	1,200
2 Piece Bottom Rail Kit (16 pieces per bag 8 Bolts, 8 Nuts)						
3/8-16x1-1/4 Torx® Equiv. Button Head Steel Gr. 5.1 Bolt <i>.0003-.0005 Cad & Non-Galvanic Dip</i> 3/8-16 Hex Flange Serr Steel Nut Zinc	F9921688-99					

LARGE QUANTITY BOTTOM RAIL BOLTS GRADE 5 & 18-8 (300 SERIES) STAINLESS STEEL AVAILABLE, SEE BULK PRICE LIST

\$25.00 Line Minimum \$50.00 Order Minimum

TORX® is a Trademark of Camcar Div. of Textron


LANDING GEAR

36 parts per bag (12 bolts 12 lock nuts 12 washers)

SIZES AVAILABLE	PART #					
		25	50	100	200	300
5/8-18 x 1-7/8 Grade 8 Bolts Zinc Yellow with Zinc Lock Nuts and Flat Washers	F9930749-99					
5/8-11 x 1-3/4 Grade 5 Bolts Black with Zinc Lock Nuts						
Rear Door (100 Per Box)						
1/4-20 x 1-1/2 Elevator Bolts Zinc 1/4-20 Keps Nuts Zinc 100 per Box	F9917709-99					

STEP BOLTS FOR SWING DOOR REPAIR SEE PAGE 12
 OTHER KITS AVAILABLE UPON REQUEST

LIGHT AND REFLECTOR FASTENERS



SIZES AVAILABLE	PART #	500	1,000	2,500	5,000	10,000	25,000	50,000	100,000
Phillips Pan Head 410 Stainless Steel TCS Bright Hard and Passivated									
10/24x1	F2913664-19								
#10 Square Drive Phillips Pan Head 410 SS Type B SMS Nickel Strike Cad with Biwax									
1/2"	F2313349-1902								
3/4"	F2313509-1902								
1"	F2313669-1902								
#10 Phillips Pan Head Steel Self Drilling Screw Zinc									
1/2"	F3513344-06								
5/8"	F3513424-06								
3/4"	F3513504-06								
1"	F3513664-06								
1-1/4"	F3513684-06								
1-1/2"	F3513704-06								

P. O. A. = Priced on Application

\$25.00 Line Minimum

\$50.00 Order Minimum



TAMPER RESISTANT NUTS

SIZES AVAILABLE	PART #	500	1,000	2,500	5,000	10,000	25,000
3/8-16 Tamper Resistant Zinc Dycast with 360° Nylon Lock Patch	F0821000-94						

SIZES AVAILABLE	PART #	1 Piece	5 Pieces	10 Pieces	25 Pieces & Up
Tamper Resistant Socket for 3/8-16 Tamper Resistant Nut	#30				

SIZES AVAILABLE	PART #	500	1,000	2,500	5,000	10,000	25,000
3/8-16 Special Hex Drive Tamper Resistant .0003 Zinc with 360° Nylon Lock Patch	F0821999-35						
1/2-13 Special Hex Drive Tamper Resistant .0003 Zinc*	F0825999-35						


Special Hex Drive Tamper Resistant Available in Sizes from 4/40 to 4" Diameter

*Available with 360° Patch – Call for Pricing

\$25.00 Line Minimum

\$50.00 Order Minimum

visit our web site for a video tour
www.engcomponents.com



ANCHOR LOK LOCK BOLT FASTENING SYSTEM

The Anchor Lok exceeds the toughest performance requirements for a variety of high-strength applications.*

Manufactured to the same high-quality standards you have come to expect and appreciate from Anchor Bolt & Screw Co.

Features three head styles available in aluminum and steel. Benefits include vibration-resistance, uniform strength and easy installation.

Dimensions			Brazier Head (B)			Truss Head (T)		Flush Head (90)	
Dia.	(No.)	Maximum Hole Size	A	B	C	B	C	B	C
3/16	(6)	.203	.195-.191	.394-.356	.125-.113	.469-.406	.088-.078	.354-.328	.085-.075
1/4	(8)	.266	.259-.254	.525-.475	.152-.136	.594-.531	.115-.103	.473-.437	.113-.101
5/16	(10)	.328	.322-.317	.656-.594	.201-.181	.797-.703	.141-.127	.589-.547	.141-.127
3/8	(12)	.391	.385-.380	.787-.713	.248-.223	.922-.828	.168-.152	.709-.656	.168-.152

*Performance and material data are available upon request
 See page 37 for Grip Data

Identification Key

Prefix is head style and Anchor lock bolt
 A = Anchor, B = Braiser head, LB = Lock bolt

Material, A = Aluminum, S = Steel, zinc-plated

Last digit denotes approximate grip range. (See specifications)

ABLB A12 4


ANCHOR LOK LOCK BOLT FASTENING SYSTEM GRIP DATA

Grip Data

Grip No.	Grip Min.	Grip Max.	6 (3/16) Diameter		8 (3/16) Diameter	
			D±1/8,-0	E±1/8,-0	D±1/8,-0	E±1/8,-0
2	.063 (1.6)	.188 (4.77)	.394 (10.0)	1.404 (35.66)	.485 (12.31)	1.520 (38.60)
3	.125 (3.17)	.250 (6.35)	.457 (11.60)	1.466 (37.23)	.548 (13.91)	1.583 (40.20)
4	.188 (4.77)	.313 (7.95)	.519 (13.18)	1.529 (38.83)	.610 (15.49)	1.654 (42.01)
5	.250 (6.35)	.375 (9.52)	.582 (14.78)	1.591 (40.41)	.673 (17.09)	1.708 (43.38)
6	.313 (7.95)	.438 (11.1)	.644 (16.35)	1.654 (42.01)	.735 (18.66)	1.770 (44.95)
7	.375 (9.52)	.500 (12.7)	.707 (17.95)	1.716 (43.58)	.798 (20.26)	1.833 (46.55)
8	.438 (11.1)	.563 (14.30)	.769 (19.53)	1.779 (45.18)	.860 (21.84)	1.895 (48.13)
9	.500 (12.7)	.625 (15.87)	.832 (21.13)	1.841 (46.76)	.923 (23.44)	1.958 (49.73)
10	.563 (14.30)	.688 (17.47)	.894 (22.70)	1.904 (48.36)	.985 (25.01)	2.020 (51.30)
11	.625 (15.87)	.750 (19.05)	.957 (24.30)	1.966 (49.93)	1.048 (26.61)	2.083 (52.90)
12	.688 (17.47)	.813 (20.65)	1.019 (25.88)	2.029 (51.53)	1.110 (28.19)	2.145 (54.48)
13	.750 (19.05)	.875 (22.22)	1.082 (27.48)	2.091 (53.11)	1.173 (29.79)	2.208 (56.08)
14	.813 (20.65)	.938 (23.82)	1.144 (29.05)	2.154 (54.71)	1.235 (31.36)	2.270 (57.65)
15	.875 (22.22)	1.000 (25.40)	1.207 (30.65)	2.216 (56.28)	1.298 (32.96)	2.333 (59.25)
16	.938 (23.82)	1.063 (27.00)	1.269 (32.23)	2.279 (57.88)	1.360 (34.54)	2.395 (60.83)
17	1.000 (25.40)	1.125 (28.57)	1.332 (33.83)	2.341 (59.46)	1.423 (36.14)	2.458 (62.43)
18	1.063 (27.00)	1.188 (30.17)	1.394 (35.40)	2.404 (61.06)	1.485 (37.71)	2.520 (64.00)
19	1.125 (28.57)	1.250 (31.75)	1.457 (37.00)	2.466 (62.63)	1.548 (39.31)	2.583 (65.60)
20	1.188 (30.17)	1.313 (33.35)	1.519 (38.58)	2.529 (64.23)	1.610 (40.89)	2.645 (67.18)

Grip Data


Grip No.	Grip Min.	Grip Max.	10 (5/16) Diameter		12 (3/8) Diameter	
			D±1/8,-0	E±1/8,-0	D±1/8,-0	E±1/8,-0
4	.125 (3.17)	.375 (9.52)	.749 (19.02)	1.910 (48.51)	.809 (20.54)	2.121 (53.87)
6	.250 (6.35)	.500 (12.7)	.874 (22.19)	2.035 (51.68)	.934 (23.72)	2.246 (57.04)
8	.375 (9.52)	.625 (15.87)	.999 (25.37)	2.160 (54.86)	1.059 (26.89)	2.371 (60.22)
10	.500 (12.7)	.750 (19.05)	1.124 (28.54)	2.285 (58.03)	1.184 (30.07)	2.496 (63.39)
12	.625 (15.87)	.875 (22.22)	1.249 (31.72)	2.410 (61.21)	1.309 (33.24)	2.621 (66.57)
14	.750 (19.05)	1.000 (25.40)	1.374 (34.89)	2.535 (64.38)	1.434 (36.42)	2.746 (69.74)
16	.875 (22.22)	1.125 (28.57)	1.499 (38.07)	2.660 (67.56)	1.559 (39.59)	2.871 (72.92)
18	1.000 (25.40)	1.250 (31.75)	1.624 (41.24)	2.785 (70.73)	1.684 (42.77)	2.996 (76.09)
20	1.125 (28.57)	1.375 (34.92)	1.749 (44.42)	2.910 (73.91)	1.809 (45.94)	3.121 (79.27)



*Performance and material data are available upon request


visit our web site for a video tour
www.engcomponents.com

ALUMINUM DRIVE RIVETS SOUTHCO ALTERNATES



ECC Part #	SOUTH CO PART #	500	1M	2500	5M	10M	25M	50M	100M
DRV406013	38-106-04-16	65.52	59.57	54.15	49.23	46.88	44.65	42.53	40.50
DRV606013	38-106-06-16	75.23	68.39	62.17	56.52	53.83	51.27	48.83	46.50
DRV806013	38-106-08-16	76.44	69.49	63.18	57.43	54.70	52.09	49.61	47.25
DRV016013	38-106-10-16	80.24	72.95	66.32	60.29	57.42	54.68	52.08	49.60
DRV408013	38-108-04-16	93.43	84.94	77.22	70.20	66.85	63.67	60.64	57.75
DRV306023	38-206-03-16	76.44	69.49	63.18	57.43	54.70	52.09	49.61	47.25
DRV406023	38-206-04-16	76.44	69.49	63.18	57.43	54.70	52.09	49.61	47.25
DRV606023	38-206-06-16	77.66	70.60	64.18	58.34	55.57	52.92	50.40	48.00
DRV806023	38-206-08-16	77.66	70.60	64.18	58.34	55.57	52.92	50.40	48.00
DRV016023	38-206-10-16	77.66	70.60	64.18	58.34	55.57	52.92	50.40	48.00
DRV416023	38-206-14-16	92.22	83.83	76.21	69.28	65.98	62.84	59.85	57.00
DRV618023	38-208-06-16	77.66	70.60	64.18	58.34	55.57	52.92	50.40	48.00
DRV808023	38-208-08-16	95.94	87.22	79.29	72.08	68.65	65.38	62.27	59.30
DRV406033	10-99-106-11	75.23	68.39	62.17	56.52	53.83	51.27	48.83	46.50
DRV706033	10-99-106-12	94.64	86.04	78.22	71.11	67.72	64.50	61.43	58.50
DRV406073	10-11-706-13	75.23	68.39	62.17	56.52	53.83	51.27	48.83	46.50
DRV706073	10-12-706-13	76.44	69.49	63.18	57.43	54.70	52.09	49.61	47.25
DRV216073	10-99-122-13	87.36	79.42	72.20	65.64	62.51	59.54	56.70	54.00
DRV016073	10-13-706-13	77.66	70.60	64.18	58.34	55.57	52.92	50.40	48.00
DRV316073	10-14-706-13	89.79	81.63	74.21	67.46	64.25	61.19	58.28	55.50
DRV716073	10-15-706-13	93.51	85.01	77.28	70.26	66.91	63.72	60.69	57.80
DRV026073	10-16-706-13	93.51	85.01	77.28	70.26	66.91	63.72	60.69	57.80
DRV626073	10-18-706-13	126.19	114.72	104.29	94.81	90.29	86.00	81.90	78.00
DRV808013	38-108-08-16								

visit our web site for a video tour
www.engcomponents.com




TRUCK BUMPERS
 Made from Virgin Rubber
 Not Recycled Materials

SIZES AVAILABLE	PART #	21	63	105	210	420
8X5 Standard 4 Hole	F9999920-R03					
6x2-3/8 Standard 2 Hole	F9999770-R03					

1/2-20x2 TORX® or 6-LOBE PAN "F" TCS CAD SELF TAPPING BUMPER BOLT

PART #	500	1,000	2,500	5,000	10,000
F9026744-02					

Thread cutting screw for mounting bumpers in blind or open applications



NYLON DRIVE RIVET WITH ALUMINUM OR STEEL PIN

SIZES AVAILABLE	PART #	1,000	2,500	5,000	10,000	25,000	50,000	100,000
3/16 x 3/4 with Steel Pin	4460116							
1/4 x 3/4* with Alum. Pin	6110645							

These two parts are made from DuPont Zytel 101

Other sizes available

* 1/4 x 3/4 equal to SOUTHCO #30-20-542-25

TORX® or 6-Lobe Flat Head Steel Machine Screw Grade 5.1— Plain

SIZES AVAILABLE	PART #	500	1,000	2,500	10,000	25,000	50,000
3/8-16x5	F8721927-96						

The above part can be cut to length and threaded to whatever length you require.

WHEEL HARDWARE

Standard Inner Cap Nuts – Zinc & Yellow

STEEL WHEELS

ECC Part#	Outer Thread	Inner Thread	Length	Type	100	250	500	1,000	2,500	5,000
EC1-80701-07	1-1/8-16	3/4-16	2-7/32	Right Hand						
EC2-90701-07	1-1/8-16	3/4-16	2-7/32	Left Hand						

STEEL WHEELS EXTRA LENGTH

ECC Part#	Outer Thread	Inner Thread	Length	Type	100	250	500	1,000	2,500	5,000
EC3-63353-07	1-1/8-16	3/4-16	2-9/16	Right Hand						
EC4-73353-07	1-1/8-16	3/4-16	2-9/16	Left Hand						

STANDARD OUTER NUTS

Zinc & Yellow

For Steel or Aluminum Wheels



ECC Part#	Thread	Hex A.F.	Height	Type	100	250	500	1,000	2,500	5,000
EC5-19873-07	1-1/8-16	1-1/2	7/8"	Right Hand						
EC6-29873-07	1-1/8-16	1-1/2	7/8"	Left Hand						

Inner caps Also Available for Aluminum Wheels



M22 WHEEL BOLT AND NUT for piloted hub tractors and trailers

	PART #	100	250	500	1,000	2,500	5,000
M22 Nut	F0899000-0182						
M22 Bolt	F1834999-01						

WHEEL NUTS (60°) Grade 2 Zinc




SIZE	ECC PART #	500	1,000	2,500	5,000	10,000	15,000	25,000	50,000
7/16-20	EC437-20-2-06								
1/2-20	EC500-20-2-06								
5/8-18	EC625-18-2-06								

TRAILER HUB HEAT SENSOR BOLTS

4037 Steel Heat Treated

Part Number	Quantity	Description
F1819581-0892-4	4 Per Bag	Replaces existing hub cap bolts
F1819581-0892-100	100 Per Bag	*Installs in seconds with simple hand tool
F1819581-0892	1000 Per Bag	*Provides early warning of bearing problems, preventing costly repairs, and trailer downtime. *Provides a visual indicator that lets you know at a glance if a hub reaches 250° Your low cost insurance policy for possible hub lose or damage




*Heat Sensor Pop-Up Bolts
pops up at 250°*

SERRATED HEX WASHER FLANGE SCREWS

Grade 2 Zinc Plated



Size	500	1,000	2,500	5,000	10,000	25,000
1/4-20 x 1/2						
1/4-20 x 1-1/4						
1/4-20 x 1-1/2						
5/16-18 x 1/2						
5/16-18 x 3/4						
5/16-18 x 7/8						
5/16-18 x 1						
5/16-18 x 1-1/2						
5/16-18 x 1-3/4						
3/8-16 x 1/2						
3/8-16 x 3/4						
3/8-16 x 1						
3/8-16 x 1-1/2						
1/2-13 x 1-1/4						
1/2-13 x 1-1/2						




SERRATED HEX WASHER FLANGE SCREWS

Grade 5 Case Hard Zinc Plated
Wiz Lock Alternate

SIZES AVAILABLE	PART #	500	1,000	2,500	5,000	10,000	25,000
1/4-20x1/2	F2517343-06						
1/4-20x5/8	F2517423-06						
1/4-20x3/4	F2517659-06						
1/4-20x1	F2517663-06						
1/4-20x1-1/4	F2517683-06						
1/4-20x1-1/2	F2517703-06						
1/4-20x2	F2517743-06						
1/4-20x2-1/2	F2517783-06						
5/16-18x1/2	F2519343-06						
5/16-18x5/8	F2519423-06						
5/16-18x3/4	F2519503-06						
5/16-18x1	F2519663-06						
5/16-18x1-1/4	F2519683-06						
5/16-18x1-1/2	F2519703-06						
5/16-18x2	F2519743-06						
3/8-16x1/2	F2521343-06						
3/8-16x3/4	F2521503-06						
3/8-16x1	F2521663-06						
3/8-16x1-1/4	F2521689-06						
3/8-16x1-1/2	F2521703-06						
3/8-16x2	F2521749-06						
3/8-16x2-1/2	F2521783-06						
3/8-16x3	F2521813-06						
1/2-13x3/4	F2525503-06						
1/2-13x1	F2525663-06						
1/2-13x1-1/4	F2525683-06						
1/2-13x1-1/2	F2525703-06						
1/2-13x1-3/4	F2525723-06						
1/2-13x2	F2525743-06						
1/2-13x2-1/2	F2525783-06						
1/2-13x3	F2525813-06						

Wiz Lock May Be a Registered Trademark of McLean Fogg



SIZES AVAILABLE	ECC PART #	500	1,000	2,500	5,000	10,000	25,000
6/32							
8/32	F0712009-06						
10/24	F07130SE-06						
10/32	F0714000-06						
1/4-20	F0717000-06						
5/16-18	F0719009-06						
3/8-16	F0721000-06						
7/16-14							
1/2-13	F0725009-06						



I.F.I GRADE 5 NYLON INSERT LOCK NUTS .0005 ZINC & CLEAR


Can be converted to yellow and special
after dips to increase salt spray hours

Size	ECC Part #	1,000	2,500	5,000	10,000	25,000	50,000	100,000
1/4-20	F0417000-90							
5/16-18	F0419000-60							
3/8-16	F0421000-90							
3/8-24	F0422000-90							
1/2-13	F0425000-90							
1/2-20	F0426000-90							
5/8-18	F043000-90							
3/4-16	F0432000-90							

******* ABOVE ARE ACTUAL ****
GRADE 5 LOCK NUTS WITH GRADE 5 MARKINGS.
THEY ARE NOT GRADE 2 TESTED
AND CERTIFIED TO GRADE 5.***

GRADE 2 ALSO AVAILABLE

GRADE 5 AND GRADE 8 2-WAY LOCK NUTS ZINC



Grade 5

Size	1,000	2,500	5,000	10,000	25,000	50,000
1/4-20						
1/4-28						
5/16-18						
5/16-24						
3/8-16						
3/8-24						
7/16-14						
7/16-20						
1/2-13						
1/2-20						

Grade 8

Size	1,000	2,500	5,000	10,000	25,000	50,000
1/4-20						
1/4-28						
5/16-18						
5/16-24						
3/8-16						
3/8-24						
7/16-14						
7/16-20						
1/2-13						
1/2-20						

FLANGE NUTS NO SERRATIONS

Plain & Not Hardened



Size	1,000	2,500	5,000	10,000	25,000	50,000
1/4-20						
5/16-18						
3/8-16						
1/2-13						

**TWIN WIZ SERRATED LOCK NUTS**

Machine Screw and Finished Nuts Serrated Both Sides

Size	1,000	2,500	5,000	10,000	25,000	50,000
4/40 x 1/4 x 3/32						
6/32 x 5/16 x 7/64						
8/32 x 11/32 x 1/8						
10/24 x 3/8 x 3/16						
10/24 x 3/8 x 1/8						
10/32 x 3/8 x 3/16						
10/32 x 3/8 x 1/8						
1/4-20 x 7/16 x 7/32						
5/16-18 x 1/2 x 17/64						
3/8-16 x 9/16 x 21/64						

SIZES AVAILABLE	PART #	GRADE		
		2	5	8
Steel				
1/4-20				
1/4-28				
5/16-18				
5/16-24				
3/8-16				
3/16-24				
1/2-13				
1/2-20				
Brass, Silicon Bronze, Stainless Steel, Monel				
		Under 100,000 Pcs	Over 100,000 Pcs	
1/4-20				
1/4-28				
5/16-18				
5/16-24				
3/8-16				
3/8-24				
1/2-13				
1/2-20				

\$350.00 Order Minimum
We Can Centerlock Per Your Spec. (Ft. Lbs.)

**SEND US
YOUR PRODUCT FOR 2-WAY
DEFLECTION**

TRAILER BRAKE HOSE SPRINGS

Other Sizes and Finishes Available, Call for Details



Spring

DESCRIPTION	O/A	O.D. LGTH	WIRE	FINISH	PART #	CTN QTY	1/4 CTN	1/2 CTN	1 CTN	3 CTN
2-1/2" x 3/4" Spring	2.5"	.075	0.0625	Zinc/Yellow Dichromate*	100-610-90	500				
11" x 3/4" Spring	11.1"	.075	0.0625	Zinc/Yellow Dichromate*	111-910-90	40				
13" x 3/4" Spring	13.6"	.075	0.0625	Zinc/Yellow Dichromate*	020-110-90	100				
9" x 11/16" Spring	9.0"	1.06	0.080	Zinc/Yellow Dichromate*	120-910-90	35				
13-1/2" x 11/16" Spring	13.5"	1.06	0.080	Zinc/Yellow Dichromate*	820-910-90	30				
16-1/2" x 11/16" Spring	16.5"	1.06	0.080	Zinc/Yellow Dichromate*	100-310-90	25				
25" x 11/16" Spring	25.0"	1.06	0.080	Zinc/Yellow Dichromate*	510-800-90	15				

Our Springs Feature:


- Class 1 Hard Drawn Spring Wire
- Double Lift Up Loop at Both Ends
- Finishes with * Meet 96 Hour Salt Spray Resistance

EYE BOLT W/KEPS & LOCK NUT



DESCRIPTION	PART #	CTN QTY	1/4 CTN	1/2 CTN	1 CTN	3 CTN
Eye Bolt W/Keps & Lock Nut	520-110-90	750				

SPRING PLATE




DESCRIPTION	PART #	CTN QTY	1/4 CTN	1/2 CTN	1 CTN	3 CTN
Spring Plate	200-810-90	2,000				


HOSE SEPARATOR OPTIONS

- Any Heavy Duty Hose Separator W/Eye Bolt
- Or Any Heavy Duty 3 Hole Separator W/V-Bolt

Note: See next page for hose separators



Heavy Duty W/Eye Bolt




Heavy Duty 3-Hole W/V-Bolt

BRAKE HOSE SEPARATORS


Sizes are Brake Hose I.D.

HEAVY DUTY W/EYE BOLT



PART #	CTN QTY	SIZE	1/4 CTN	1/2 CTN	1 CTN	3 CTN
A110-990-10	500	3/8" H.D. W/ E. B.				
A310-990-10	500	1/2" H.D. W/ E. B.				

HEAVY DUTY 3 HOLE W/V-BOLT




PART #	CTN QTY	SIZE	1/4 CTN	1/2 CTN	1 CTN	3 CTN
A910-810-90	300	3/8" No Tie				
A710-020-90	300	3/8" With Tie				

STANDARD




PART #	CTN QTY	SIZE	1/4 CTN	1/2 CTN	1 CTN	3 CTN
100-990-10	2m	3/8"				
010-990-10	2m	1/2"				

HEAVY DUTY IN-LINE



PART #	CTN QTY	SIZE	1/4 CTN	1/2 CTN	1 CTN	3 CTN
A410-990-10	500	3/8" Two Hole				
A510-990-10	500	1/2" Two Hole				


HEAVY DUTY 3 HOLE IN-LINE



PART #	CTN QTY	SIZE	1/4 CTN	1/2 CTN	1 CTN	3 CTN
A220-710-90	250	3/8" No Tie				
A260-710-90	250	3/8" With Tie				

STANDARD BEAM CLIP ASSEMBLIES

Sizes are Flange Thickness –
Available with Many
Different Cable Ties



DESCRIPTION	FINISH	CABLE TIE	PART #	CARTON QTY	1/4 CTN	1/2 CTN	1 CTN	3 CTN
1/8"-1/4" Beam Clip Assembly with 7-1/2" Cable Tie (Style 1)	Zinc/Yellow Dichromate*	7-1/2"	A110-610-90	1,000				
1/8"-1/4" Beam Clip Assembly with 7-1/2" Cable Tie (Style 2)	Zinc/Yellow Dichromate*	7-1/2"	A900-510-90	1,000				
1/8"-1/4" Beam Clip Assembly with HD 14" Cable Tie (Style 1)	Zinc/Yellow Dichromate*	14" HD	A020-710-90	1,000				
1/8"-1/4" Beam Clip Assembly with HD 14" Cable Tie (Style 2)	Zinc/Yellow Dichromate*	14" HD	A120-710-90	1,000				
5/16"-1/2" Beam Clip Assembly with HD 8" Cable Tie (Style 1)	Zinc/Yellow Dichromate*	8" HD	A610-020-90	500				
9/16"-3/4" Beam Clip Assembly with HD 8" Cable Tie (Style 1)	Zinc/Yellow Dichromate*	8" HD	A110-020-90	500				
1/8"-1/4" Beam Clip Assembly with HD 14" Cable Tie (Style 3)	Zinc/Yellow Dichromate*	14" HD	A420-020-90	500				
1/8"-1/4" Beam Clip Assembly with HD 14" Cable Tie (Style 4)	Zinc/Yellow Dichromate*	14" HD	A220-020-90	500				

Beam Clip Advantages:

- Easy to Install
- No Grommet Needed
- No Sharp Edges
- No Welding Needed
- Great for Wire, Air Hoses, Air Tubes, Etc.
- Finishes with * are .0005" Zinc (approx. 325 HR S.S.R.)

HOSE CLIP WITH CABLE TIE MOUNT ASSEMBLY

Sizes are Hose I.D.

**ABS CLIPS
AVAILABLE UPON
REQUEST**



DESCRIPTION	CABLE TIE	PART #	CARTON QTY	1/4 CTN	1/2 CTN	1 CTN	3 CTN
3/8"-1/2" Hose Clip with 7-1/2" Cable Tie Assembly	7-1/2"	A310-001-10	1,000				
3/8"-1/2" Hose Clip with any size Cable Tie		Call for No.					

Hose Clip Advantages:

- Not Tied Directly to Hose
- Clean Wire Management
- Can be Used to Secure Hose to Susp. Cross Tube or Axle
- Will Not Chafe Hose
- Great for Wire, Grease Lines, or Tying Up Extra Power or Sensor Wire
- Removable — Can Be Reattached



ECONOMY BLACK UV STABILIZED WIRE TIES

TENSILE STRENGTH	LENGTH	BAG QUANTITY	PART #	1,000	5,000	10,000	25,000	50,000	100,000
18#	4"	Bulk	814TCB						
18#	6"	Bulk	816TCB						
40#	8"	Bulk	048TCB						
40#	11"	Bulk	0411TCB						
50#	14"	Bulk	0551TCB						

ECONOMY NATURAL WIRE TIES

TENSILE STRENGTH	LENGTH	BAG QUANTITY	PART #	1,000	5,000	10,000	25,000	50,000	100,000
18#	4"	Bulk	814TCN						
18#	6"	Bulk	816TCN						
40#	8"	Bulk	048TCN						
40#	11"	Bulk	0411TCN						
50#	14"	Bulk	0551TCN						

Above Economy Wire Ties are Bulk Not Bagged

Other Sizes Available of Economy Wire Ties with Larger Quantities Required. [PLEASE INQUIRE](#)


UV STABILIZED BLACK WIRE TIES

TENSILE STRENGTH	LENGTH	BAG QUANTITY	PART #	1 BAG	2 BAGS	10 BAGS	25 BAGS	50 BAGS	100 BAGS
40#	5-1/2"	1,000	035-10-20-6B						
50#	8"	1,000	057-20-20-7.5B						
40#	8-1/2"	1,000	048-70-20-8B						
50#	11.8"	1,000	0511-20-20-11B						
120#	15"	100	02141-30-20-14B						
120#	18"	50	02181-30-20-18B						
120#	21"	50	02142-30-20-24B						
175#	36"	50	57163-40-20-36B						

Natural Material and Other Sizes Available Upon Request

M = Per Thousand

B = Per Bag



ULTRASONIC-SONIC LOCK BRASS INSERTS

Straight Wall, Thru-Threaded
Designed for use in straight holes

Size	ECC Part #	500	1,000	5,000	10,000	25,000	50,000	100,000
2-56								
4-40								
6-32								
8-32								
10-24								
10-32								
1/4-20	F9918340-70							
1/4-28								
5/16-24								
3/8-16								

Thread Code (1)	A ± .005	E ± .005	C Body Dia. ± .005	S1	S2	Hole Size in Material	
						Min. Hole Depth	Hole Dia. + .003 - .000
2-56	.157	.137	.121	.031	.031	.187	.127
4-40	.226	.179	.152	.031	.031	.256	.158
6-32	.281	.210	.188	.031	.031	.311	.189
10-24	.321	.243	.217	.031	.040	.351	.229
10-32	.375	.273	.247	.046	.046	.405	.253
1/4-20	.500	.342	.310	.046	.062	.530	.316
1/4-28	.500	.342	.310	.046	.062	.530	.316
5/16-24	.500	.500	.400	.372	.046	.062	.530
3/8-16	.500	.500	.400	.372	.046	.062	.530

visit our web site for a video tour
www.engcomponents.com



AVK ALTERNATES RIVET NUTS SERRATED AND NON-SERRATED INSERTS TYPES AL - AK - AH - RN - AO

ECC Ref#	AVK #	500	1,000	5,000	10,000	25,000	50,000
ELS-632-80	ALS4-632-80						
ELS-632-130	ALS4-632-130						
ELS-832-80	ALS4-832-80						
ELS-832-130	ALS4-832-130						
ELS-1024-130	ALS4-1024-130						
ELS-1024-225	ALS4-1024-225						
ELS-1032-130	ALS4-1032-130						
ELS-1032-225	ALS4-1032-225						
ELS-420-165	ALS4-420-165						
ELS-420-260	ALS4-420-260						
ELS-428-165	ALS4-428-165						
ELS-428-260	ALS4-428-260						
ELS-518-150	ALS4-518-150						
ELS-518-312	ALS4-518-312						
ELS-524-150	ALS4-524-150						
ELS-524-312	ALS4-524-312						
ELS-616-150	ALS4-616-150						
ELS-616-312	ALS4-616-312						
ELS-624-150	ALS4-624-150						
ELS-624-312	ALS4-624-312						
EKS-632-80	AKS4-632-80						
EKS-632-130	AKS4-632-130						
EKS-832-80	AKS4-832-80						
EKS-832-130	AKS4-832-130						
EKS-1024-130	AKS4-1024-130						
EKS-1024-225	AKS4-1024-225						
EKS-1032-130	AKS4-1032-130						
EKS-1032-225	AKS4-1032-225						
EKS-420-165	AKS4-420-165						
EKS-420-260	AKS4-420-260						
EKS-428-165	AKS4-428-165						
EKS-428-260	AKS4-428-260						
EKS-518-150	AKS4-518-150						

100,000 Price — 5% From 50m Column
 250,000 Price — 10% From 50m Column
 Many other Series and Parts Available on Request

AP-AR-AS-AT-AW Series — Specials — Tools
 These Parts Are Not Manufactured By AVK
 AVK is a Registered Trade Mark of Emhart



AVK ALTERNATES RIVET NUTS SERRATED AND NON-SERRATED INSERTS

Types AL - AK - AH - RN - AO

ECC Ref#	AVK #	500	1,000	5,000	10,000	25,000	50,000
EKS-518-312	AKS4-518-312						
EKS-524-150	AKS4-524-150						
EKS-524-312	AKS4-524-312						
EKS-616-150	AKS4-616-150						
EKS-616-312	AKS4-616-312						
EKS-624-150	AKS4-624-150						
EKS-624-312	AKS4-624-312						
EHS-632-80	AHS4-632-80						
EHS-632-130	AHS4-632-130						
EHS-832-80	AHS4-832-80						
EHS-832-130	AHS4-832-130						
EHS-1024-130	AHS4-1024-130						
EHS-1024-225	AHS4-1024-225						
EHS-1032-130	AHS4-1032-130						
EHS-1032-225	AHS4-1032-225						
EHS-420-165	AHS4-420-165						
EHS-420-260	AHS4-420-260						
EHS-428-165	AHS4-428-165						
EHS-428-260	AHS4-428-260						
EHS-518-150	AHS4-518-510						
EHS-518-312	AHS4-518-312						
EHS-524-150	AHS4-524-150						
EHS-524-312	AHS4-524-312						
EHS-616-150	AHS4-616-150						
EHS-616-312	AHS4-616-312						
EHS-624-150	AHS4-624-150						
EHS-624-312	AHS4-624-312						
ERS-632-75	RNS-632-75						
ERS-632-120	RNS-632-120						
ERS-832-75	RNS-832-75						
ERS-832-120	RNS-832-120						

100,000 Price — 5% From 50m Column
 250,000 Price — 10% From 50m Column
 Many other Series and Parts Available on Request

AP-AR-AS-AT-AW Series — Specials — Tools
 These Parts Are Not Manufactured By AVK
 AVK is a Registered Trade Mark of Emhart

visit our web site for a video tour
www.engcomponents.com



AVK ALTERNATES RIVET NUTS SERRATED AND NON-SERRATED INSERTS

Types AL - AK - AH - RN - AO

ECC Ref#	AVK #	500	1,000	5,000	10,000	25,000	50,000
ERS-832-160	RNS-832-160						
ERS-1024-130	RNS-1024-130						
ERS-1032-80	RNS-1032-80						
ERS-1032-130	RNS-1032-130						
ERS-1032-180	RNS-1032-180						
ERS-420-80	RNS-420-80						
ERS-420-140	RNS-420-140						
ERS-420-200	RNS-420-200						
ERS-420-260	RNS-420-260						
ERS-518-125	RNS-518-125						
ERS-518-200	RNS-518-200						
ERS-518-275	RNS-518-275						
ERS-616-115	RNS-616-115						
ERS-616-200	RNS-616-200						
ERS-616-285	RNS-616-285						
ERS-813-175	RNS-813-175						
ERS-813-250	RNS-813-250						
EOS-632-80	AOS3-632-80						
EOS-832-80	AOS3-832-80						
EOS-1024-130	AOS3-1024-130						
EOS-1032-130	AOS3-1032-130						
EOS-420-165	AOS3-420-165						
EOS-428-165	AOS3-428-165						
EOS-518-200	AOS3-518-200						
EOS-524-200	AOS3-524-200						
EOS-616-200	AOS3-616-200						
EOS-624-200	AOS3-624-200						

Many other Series and Parts Available on Request
 AP-AR-AS-AT-AW Series — Specials — Tools
 These Parts Are Not Manufactured By AVK
 AVK is a Registered Trade Mark of Emhart



SIZES AVAILABLE	ECC PART #	1,000	2,500	5,000	10,000	25,000	50,000	100,000
4-40 x 1/4	EC-FH440-04-ALT							
4-40 X 3/8	EC-FH440-06-ALT							
4-40 X 1/2	EC-FH440-08-ALT							
4-40 X 5/8	EC-FH440-10-ALT							
4-40 X 3/4	EC-FH440-12-ALT							
6-32 X 1/4	EC-FH632-04-ALT							
6-32 X 5/16	EC-FH632-05-ALT							
6-32 X 3/8	EC-FH632-06-ALT							
6-32 X 1/2	EC-FH632-08-ALT							
6-32 X 5/8	EC-FH632-10-ALT							
6-32 X 3/4	EC-FH632-12-ALT							
6-32 X 1	EC-FH632-16-ALT							
6-32 X 1-1/4	EC-FH632-20-ALT							
8-32 X 1/4	EC-FH832-04-ALT							
8-32 X 5/16	EC-FH832-05-ALT							
8-32 X 3/8	EC-FH832-06-ALT							
8-32 X 1/2	EC-FH832-08-ALT							
8-32 X 5/8	EC-FH832-10-ALT							
8-32 X 3/4	EC-FH832-12-ALT							
8-32 X 7/8	EC-FH832-14-ALT							
8-32 X 1	EC-FH832-16-ALT							
8-32 X 1-1/4	EC-FH832-20-ALT							
8-32 X 1-1/2	EC-FH832-24-ALT							
10-24 X 3/8	EC-FH024-06-ALT							
10-24 X 1/2	EC-FH024-08-ALT							
10-24 X 5/8	EC-FH024-10-ALT							
10-24 X 3/4	EC-FH024-12-ALT							
10-24 X 7/8	EC-FH024-14-ALT							
10-24 X 1	EC-FH024-16-ALT							
10-24 X 1-1/4	EC-FH024-20-ALT							
10-24 X 1-1/2	EC-FH024-24-ALT							
10-32 X 3/8	EC-FH032-06-ALT							
10-32 X 1/2	EC-FH032-08-ALT							
10-32 X 5/8	EC-FH032-10-ALT							
10-32 X 3/4	EC-FH032-12-ALT							
10-32 X 7/8	EC-FH032-14-ALT							
10-32 X 1	EC-FH032-16-ALT							
10-32 X 1-1/4	EC-FH032-20-ALT							

"ALT" in our part number represents "Alternate."

The above items are not manufactured by PEM® or Penn Engineering.

Captive Fastener's Part Number is the same as Penn Engineering's, substituting the "FHS" with a "CHS".

®PEM is a registered trademark of Penn Engineering. Our clinch nuts and clinch studs are not manufactured by or connected with the producers of Penn Engineering's clinch nuts and clinch studs.


SIZES AVAILABLE	ECC PART #	1,000	2,500	5,000	10,000	25,000	50,000	100,000
1/4-20 X 1/2	EC-FH042-8-ALT							
1/4-20 X 5/8	EC-FH042-10-ALT							
1/4-20 X 3/4	EC-FH042-12-ALT							
1/4-20 X 7/8	EC-FH042-14-ALT							
1/4-20 X 1	EC-FH042-16-ALT							
1/4-20 X 1-1/8	EC-FH042-18-ALT							
1/4-20 X 1-1/4	EC-FH042-20-ALT							
1/4-20 X 1-1/2	EC-FH042-24-ALT							
1/4-20 X 2	EC-FH042-32-ALT							
5/16-18 X 3/4	EC-FH0518-12-ALT							
5/16-18 X 1	EC-FH0518-16-ALT							
5/16-18 X 1-1/4	EC-FH0518-20-ALT							
5/16-18 X 1-1/2	EC-FH0518-24-ALT							
5/16-18 X 1-3/4	EC-FH0518-28-ALT							

"ALT" in our part number represents "Alternate."

The above items are not manufactured by PEM® or Penn Engineering.

Captive Fastener's Part Number is the same as Penn Engineering's, substituting the "FHS" with a "CHS".

®PEM is a registered trademark of Penn Engineering. Our clinch nuts and clinch studs are not manufactured by or connected with the producers of Penn Engineering's clinch nuts and clinch studs.



SELF-CLINCHING NUTS

Hardened Steel Zinc Plated

SIZES AVAILABLE	ECC PART #	1,000	2,500	5,000	10,000	25,000	50,000	100,000
4/40-0	S-440-0-ZI-ALT							
4/40-1	S-440-1-ZI-ALT							
4/40-2	S-440-2-ZI-ALT							
6/32-0	S-632-0-ZI-ALT							
6/32-1	S-632-1-ZI-ALT							
6/32-2	S-632-2-ZI-ALT							
8/32-0	S-832-0-ZI-ALT							
8/32-1	S-832-1-ZI-ALT							
8/32-2	S-832-2-ZI-ALT							
10/24-0	SS-024-0-ZI-ALT							
10/24-1	SS-024-1-ZI-ALT							
10/24-2	SS-024-2-ZI-ALT							
10/24-3	SS-024-3-ZI-ALT							
10/32-0	SS-032-0-ZI-ALT							
10/32-1	SS-032-1-ZI-ALT							
10/32-2	SS-032-2-ZI-ALT							
1/4-20-1	S-0420-1-Z1-ALT							
1/4-20-2	S-0420-2-Z1-ALT							
1/4-20-3	S-0420-3-Z1-ALT							
5/16-18-1	S-0518-1-Z1-ALT							
5/16-18-2	S-0518-2-Z1-ALT							
5/16-18-3	S-0518-3-Z1-ALT							
5/16-24-1	S-0524-1-Z1-ALT							
5/16-24-2	S-0524-2-Z1-ALT							

"ALT" in our part number represents "Alternate."

The above items are not manufactured by PEM® or Penn Engineering.

Captive Fastener's Part Number is the same as Penn Engineering's, substituting the "FHS" with a "CHS".

®PEM is a registered trademark of Penn Engineering. Our clinch nuts and clinch studs are not manufactured by or connected with the producers of Penn Engineering's clinch nuts and clinch studs.

visit our web site for a video tour
www.engcomponents.com

JAK NUT ALTERNATES

Steel, Zinc
 Threaded Inserts

WEL NUT ALTERNATES

Rubber, Brass Inserts
 Threaded Inserts



JAK NUTS (ALT)

(In Stock)

PART #	GRIP	500	1,000	5,000	10,000	25,000	50,000
ECC 4SJN ALT	.015-.187 6/32						
ECC 4LJN ALT	.187-.375 6/32						
ECC 6SJN ALT	.015-.185 10/24						
ECC 6LJN ALT	.187-.375 10/24						
ECC 8SJN ALT	.015-.185 1/4-20						
ECC 8LJN ALT	.187-.375 1/4-20						
EC 8XLJN ALT	.375-.500 1/4-20						

WEL NUTS (ALT)

PART #	GRIP	500	1,000	5,000	10,000	25,000	50,000
ECC E632 ALT	.015-.156 6/32						
ECC B832 ALT	.015-.156 8/32						
ECC 10SL ALT	.308-.625 10/32						
ECC 10XL ALT	.800-1.170 10/32						
ECC 14S ALT	.015-.110 1/4-20						
ECC D1420 ALT	.030-.185 1/4-20						
EC E516.18 ALT	.015-.156 5/16-18						

ALT in our part number represents "ALTERNATE"

Our JAK and WEL nuts are not connected or manufactured by Emhart

The above parts ARE NOT manufactured by Emhart

JACK NUT and WELL NUT are registered Trade Marks of Emhart, Inc.

FOR ADDITIONAL SIZES SEE PAGES 00-00

RUBBER NUT THREADED INSERTS

(Brass Inserts)



Size	ECC Part #	Grip	1,000	2,500	5,000	10,000	25,000
6-32 S	EC0632-187S	.015 - .187					
8-32 S	EC0832-187S	.015 - .187					
10-32 S	EC1032-200S	.020 - .200					
10-32 F	EC1032-375F	.093 - .375					
10-32 R	EC1032-625R	.312 - .625					
1/4-20 SX	EC250-20-187SX	.031 - .187					
1/4-20 L	EC250-20-750L	.375 - .750					
5/16-18 S	EC312-18-150S	.024 - .150					
3/8-16 SX	EC375-16-406SX	.032 - .406					


The above sizes are available from stock.
Many other sizes are available with a short lead time.
See following page for specifications

COMPOSITE TRAILER PANEL BLIND RIVET


1/4" Dia. 105 to 136 Grip

Works On:

1. Dura Plate®
2. P Series Composite®
3. VXP®
4. Z Plate® All composite Plate Trailer



HOLE SIZE	MIN	.255
	RECOMMEND	.257 (F DRILL)
	MAX	.261
PLATE MIN HOLE DEPTH		.214
INSTALLATION TOOL		202
NOSE ASSEMBLY		99-3445-68
TYPICAL PROPERTIES (LBS)		
TENSILE	400	
SHEAR	800	



Dura Plate® is a registered trade mark of Wabash National
P Series Composite® is a registered trade mark of Great Dane
VXP Plate® is a registered trade mark of Vanguard National
Z Plate® is a registered trade mark of Stoughton Trailer

RUBBER NUT SPECIFICATIONS SHEET





Size	ECC Part #	Grip	Diameter	Length	Head Diameter	Head Height
6-32 S	EC0632-187S	.015 - .187	.250	.562	.500	.062
6-32 R	EC0632-437R	.125 - .437	.250	.800	.500	.062
6-32 L	EC0632-625L	.312 - .625	.250	1.062	.500	.062
8-32 S	EC0832-187S	.015 - .187	.312	.562	.500	.062
8-23 L	EC0832-875L	.376 - .875	.312	1.312	.562	.062
10-32 S	EC1032-200S	.020 - .200	.375	.625	.562	.062
10-32 F	EC1032-375F	.093 - .375	.375	.860	.562	.040
10-32 R	EC1032-625R	.312 - .625	.375	1.062	.562	.062
10-32 L	EC1032-1125L	.750 - 1.125	.375	1.590	.625	.090
1/4-20 SX	EC250-20-187SX	.031-.187	.500	.855	.750	.190
1/4-20 S	EC250-20-312S	.062 - .312	.500	.855	.875	.090
1/4-20 SXX	EC250-20-375SXX	.093 - .375	.500	.855	.625	.056
1/4-20 J	EC250-20-450J	.250 - .450	.500	1.062	.625	.051
1/4-20 R	EC250-20-625R	.375 - .625	.500	1.276	.875	.100
1/4-20 L	EC250-20-750L	.375 - .750	.500	1.840	1.000	.110
5/16-18 S	EC312-18-150S	.024 - .150	.620	.840	1.000	.110
5/16-18 R	EC312-18-750R	.250 - .750	.620	1.625	1.250	.125
3/8-16 SX	EC375-16-406SX	.032 - .406	.750	1.062	1.250	.190
3/8-16 S	EC375-16-437S	.024 - .437	.750	1.000	1.250	.125
3/8-16 R	EC375-16-750R	.250 - .750	.750	1.687	1.375	.150



Ariel Pierce-&-Roll Riveting System

Pierce and Roll System handles a wide range of materials and thickness of materials

Head form can be flush or raised, and the finish options include painting and plating



Shows a Sectional View of a Pierce-&-Roll™ Rivet



Engineered Components

visit our web site for a video tour
www.engcomponents.com

BLIND AND STRUCTURAL RIVETS

The Following is a Partial List
of Blind Rivets We Carry in Stock
at All Times at **VERY** Competitive Prices



POP	
ADS 66	SD616BS
SD66BSLF	SD46BS
SD812BS	SD45BS

SOUTHCO	
10-13-706-13	38-106-04-16
30-20-542-25	38-206-02-16
38-104-02-13	

HUCK	
MGLP-B6-4	MGLP-U6-4
MGLP-B8-6	MGLP-U8-6
MGLP-B8-10	MGLP-U8-10
MGLP-R6-4	MGL100-R8-8
MGLP-R8-6	MBCP-R8-M3
MGLP-R8-10	

AVDEL / CHERRY	
SSPV 86	BAPV 86
SSPI 86	BAPI 86
SSPV 810	BAPI 810
SSPI 810	AAP 66

The above is a **partial listing** of blind rivets sold on a regular basis.



Solid Aluminum Rivets Universal Head 2117 T4

Size	Part #	10#	25#	50#	100#	250#	500#	1,000#
3/16x3/8								
3/16x7/16	F6180309-27							
3/16x1/2								
3/16x9/16	F6180389-27							
1/4x7/16	F6181309-27							
1/4x1/2	F6181349-27							
1/4x9/16	F6181389-27							
1/4x5/8								
1/4x3/4	F6181509-27							
3/8x3/4	F6183509-27							



Solid Stainless Steel Rivets Universal Head 302 (18-8)

Size	Part #	10#	25#	50#	100#	250#	500#	1,000#
3/16x7/16								
1/4x1/2	F6181349-19							
1/4x9/16	F6181389-19							

ALL PRICES PER POUND


PALNUT® FASTENERS

High Performance, Low Cost, and Lightweight


Palnut fasteners, manufactured from precision high carbon spring steel, save in initial cost, assembly time, weight and space over alternative fasteners. Palnut fasteners are available in two major groups — for threaded applications and non-threaded applications.

FOR THREADED APPLICATIONS


Lock nuts




Washer/capped washer types




Regular type




Inverted type




Wing type




Tension nuts



Multi-thread U-nuts




Acorn type/closed top




Acorn type/open top

On-ert® fasteners



Pushnut® bolt retainers




FOR NON-THREADED APPLICATIONS


Self-threading nuts




Wing type



Regular/inverted types




Washer/capped washer types




Acorn type


Pushnut® fasteners




Washer capped type




Arched rectangular type




Arched round type




Acorn type




Flat round type




Flat round type




Flat round type




Blind type




Acorn type/closed top



Acorn type/open top





Colored cap type (plastic)



Removable type

NEW INSERT TYPE NUTS

For metal and plastic panels. Accepts 4.2mm or #8-18 self tapping screw.



For additional information or samples for testing, write or call us



The Following is a Partial Listing of Palnut Parts We Stock

DO102410 SOH
DO832010 SOH
DO832075 SOH
DE832075 SOH
JZ001663 NOE
KD102410 NOE
LUGS060023 PG
LUGS142059 PG
LUGS561863 PG
LUGS103239 EBF
NR818005 SOH
PA125306 SOG
PD156307 SOG
PD156007 SOG
PS094032 PG
PS125006 SOH
PS125306 SOG
PS188007 SOG
PS250085 SOH
PS250385 SOG

PS312010 SOH
PS312310 SOH
PS375012 SOH
PS438014 SOH
PS500016 SOH
PT250008 PG
PT312010 PG
PT438135 PG
PV375615 SOH
PW250009 SOH
PW312010 SOH
PW3375011 SOH
PW500015 SOH
PZ002015 SCH
RF121300 SOH
RL341600 SOH
SD125085 SCH
SD188008 SOH
SD250011 SOH



**PLEASE CALL US ON ANY OTHER
PALNUT REQUIREMENTS
YOU MIGHT HAVE**

TINNERMAN®

**THE FOLLOWING IS
A PARTIAL LISTING OF THE TINNERMAN®
PARTS THAT WE KEEP IN STOCK ON AN
ONGOING BASIS**

NUT RETAINERS (PARTIAL LISTING)

D-7888-1420	C-7941-1032	C-31175-5618
D-7931-832	D-7953-5618	D-31365-1420
D-7931-1024	D-7956-1420	C-31758-1032
D-7931-1032	D-7957-3816	D-31758-M508
D-7935-3816	D-7957-5618	C-33892-1420
D-7937-3816	D-7998-M61	C-33924-1420
D-7937-5618	D-7998-1420	C-33945-1420
D-7941-1024	C-30110-1420	C-33952-5618

PLASTIC PUSH ON AXLE CAPS (PARTIAL LISTING) (The middle number is the shaft size)

C-60002-187-805	C-60008-250-805	C-60008-375-805
C-60002-250-805	C-60008-312-805	

ROUND PUSH ON TYPE (PARTIAL LISTING)

C-12041-012	C-13727-014	C-18234-156
C-12043-012	C-14100-010	C-18234-187
C-12044-017	C-17022SS-010	

U-NUTS (PARTIAL LISTING)

D-521-1420	D-5207-014	D-8103-832
C-575-1024	C-8032SS-832	D-9031-8
D-1303-1420	C-8031-832	D-27091-014
C-1505-1032	D-8091-632	C-45931-014

FLAT TYPE (PARTIAL LISTING)

C-166-1420	C-7000-832	C-7000-1420
C-7000-8	C-7000-1024	C-9816-014
C-7000-10		

GROOVELESS RETAINING RINGS (PARTIAL LISTING)

T99220-68-576	T99220SS-58-576	T99220-120-576
T99220-91-576	T99220SS-104-576	

NOTE 1: The finishes have not been added to the part number.

EXAMPLE -4PHOS, -3B ZINC. We can add or convert any plating or paint to whatever is needed.

NOTE 2: The "D" means the part is made in Canada (Dominion). The "C" means the part is made in Cleveland.

**PLEASE CALL US ON ANY OTHER
TINNERMAN® REQUIREMENTS
YOU MIGHT HAVE**



Engineered Components

visit our web site for a video tour
www.engcomponents.com

TINNERMAN PALNUT
ENGINEERED PRODUCTS, INC

For more than 60 years, Tinnerman has excelled
at meeting the individuals need for unquely
designed fasteners and retaining rings.




Positive Lock Wiring, Pipe and Cable Retainers

TRW is a major supplier of tried and tested, reliable wiring, pipe and cable retainers for industrial applications. We also offer a line of more focused retainers such as relay and connector retainers, tape on retainers, and fuel and brake line clips.

Shown below are standard tooled retainers readily available from our warehouse. Please contact us for samples or application engineering assistance.

Benefits and Advantages:

- Simple, easy assembly
- Wide range of wire harness sizes
- Broad range of application thickness
- Ease of removal for service
- Positive mounting
- Positive wire harness positioning
- Positive lock
- Prevents wire damage
- Optional application hole sealing



TRW retainers secure sensor cables


PC 92167

Cable retainer with wire position tabs for up to .375" bundle — ratchet leg for .250 hole




PC 47636

Wire bundle, pipe, cable or conduit strap — positive lock retention — ratchet leg for .250 hole — max. bundle dia. 1.5"




PC 92010

Multi-wire retainer — flat base — 2 holes for 2 heat stake studs




PC 96690

Wire, cable retainer — stop for edge mounting — ratchet leg for .250 hole — flex tab for anti-rattle




PC 96712

Pipe, cable or conduit retainer for two .125" rods — ratchet leg for .250 hole




PC 92000

Tubing, clip with stand-off for positive positioning — ratchet mounting leg for .250 hole




PC 96979

Rigid pipe clip with quick, easy flex mounting leg — fits .275 square hole




PC 92020

Large flange secures insulation combined with wire & cable — ratchet leg for .250 hole




PC 92087


Wire & cable container traps wire flush to panel. Insertion in .236 hole made easy with reverse leg fastener



PC 92021


Large pipe & cable retainer, hinge, snap tight lock — ratchet leg for .250 hole






PC 96883

Wire & cable container traps wire flush to panel. Insertion in .236 hole made easy with reverse leg fastener




PC 47316

Multi-wire retainer with Rosebud fastener for .250 hole — wire & fastener easily removed




PC 96882

Wire harness clamp with positive flexible mounting leg — fits a .275 diameter hole — part holds 5/16" wire in corner




PC 47664

Compact wire retainer cables easily inserted and holds fast — ratchet leg is for a .250 hole




PC 47598

Conduit retainer with .250 leg for attachment to 3/4" tubing




PC 47660

Retainer holds two 3-1/4" cables, lock-in design — ratchet leg for .250 hole




PC 47639

Rigid cable and harness retainer for edge mounting — ratchet leg for .250 hole




PC 47528

Multi-wire retainer with positive lock — standard ratchet fastener for .250 hole




PC 47693

Convoluted retainer for 1/4" to 3/8" wire bundle or conduit — snap together ratchet fits .250 hole




PC 47637

Multi-wire retainer with positive retention finger locks — ratchet leg for .250 hole



PC 47667

Convoluted retainer with hinge and snap lock, can be disengaged — ratchet leg for .250 hole — part holds 1/4" to 3/8" bundle




PC 47640

Miniature wire retainer for circuit boards & thin panels — snap-in leg fits .157 hole (non removable) — panel thickness .065

Engineered Components

visit our web site for a video tour
www.engcomponents.com



**FASTEX® ALTERNATES
 CHRISTMAS TREE CLIPS
 AND RATCHET RIVETS**

ECC REF. #	FASTEX #	1,000	3,000	5,000	10,000	25,000
80020071	354-250103-00					
30020071	354-250303-00					
90040071	354-280307-00					
1040071	354-280308-00					
11040071	354-162200-00					
21040071	M39-0630-10					
12010071	354-200101-00					
31040071	354-156001-00					
62020071	354-120240-00					
41040071	354-220000-00					
42010071	354-190001-00					
51040071	354-190001-01					
61040071	354-280317-00					
02010071	354-200102-00					
612021	354-280301-00					
712021	354-280305-00					
003021	236-170406-00					
203021	236-170406-02					
303021	236-170406-03					
403021	236-170406-04					
503021	236-170406-05					
703021	236-170406-07					
803021	236-170406-08					
903021	236-170406-09					
023021	236-220604-00					
523021	236-220603-00					
723021	236-220603-02					
923021	236-220603-10					

The Above Parts Are Not Manufactured by Fastex®

Fastex® is a Registered Trademark of ITW
 \$25.00 Line Minimum \$50.00 Order Minimum
 Pricing is for Natural add \$3.00/m for black

GRAPHICS

Labels and Graphics Up to 48 Inches High
Same Day Shipment

*These are illustrations only
Thousand of standards available including your Special Design*

IMPORTANT

AFTER THE FIRST 50 TO 100
MILES OF SERVICE THE CAPNUT
TORQUE MUST BE TIGHTENED
TO 450-550FT. LBS.

TP-95

CAUTION

**HUBS ARE GREASE
FILLED
USE ONLY SYNTHETIC
GREASE**

LESSEE'S RESPONSIBILITY

MAINTAIN COLD TIRE INFLATION PRESSURE OF 105 PSI
(UNLESS OTHERWISE RECOMMENDED BY MANUFACTURER'S LOAD LIMIT TABLES)

CHECK OIL DAILY

		DOT MANUFACTURED IN (punch out)	1998	1999
JAN	FEB		2000	2001
MAR	APR		2002	2003
MAY	JUN		2004	2005
JUL	AUG		2006	2007
SEP	OCT		2008	2009
NOV	DEC			



LINER PANELS

SIZES AVAILABLE	Number of Panels				
	10	20	30	50	100
1/4" .030 Fiberglass Smooth					
1/4" .050 Fiberglass Smooth					
1/4" .030 Fiberglass Pebbled					
1/4" .050 Fiberglass Pebbled					
3/8" .030 Fiberglass Smooth					
3/8" .050 Fiberglass Smooth					
3/8" .030 Fiberglass Pebbled					
3/8" .050 Fiberglass Pebbled					
1/2" .030 Fiberglass Smooth					
1/2" .050 Fiberglass Smooth					
1/2" .030 Fiberglass Pebbled					
1/2" .050 Fiberglass Pebbled					

O.S.B. BOARD (pressboard)

4 Feet x 8 Feet


SIZES AVAILABLE	Number of Panels				
	10	20	30	50	100
1/4" .030 Fiberglass Smooth					
1/4" .050 Fiberglass Smooth					
1/4" .030 Fiberglass Pebbled					
1/4" .050 Fiberglass Pebbled					
3/8" .030 Fiberglass Smooth					
3/8" .050 Fiberglass Smooth					
3/8" .030 Fiberglass Pebbled					
3/8" .050 Fiberglass Pebbled					
1/2" .030 Fiberglass Smooth					
1/2" .050 Fiberglass Smooth					
1/2" .030 Fiberglass Pebbled					
1/2" .050 Fiberglass Pebbled					

For less than 10 panels, add 25%
 For less than 5 panels, add 35%

Other size panels available including
 pre-painted steel or aluminum laminated on
 plywood luwan O. S. B. plastic core, hollow
 core and other special cores


Engineered Components

847-841-7000 • Fax 847-841-7007



ZIP LOCK BAGS AND TAPE

SIZES AVAILABLE	PART #	CTN QTY	1 CTN	3 CTN	9 CTN
3x4	F9999890-00	1,000			
4x6	F9999930-00	1,000			
6x8	F9998991-00	1,000			
8x10	F9998992-00	1,000			
13x15	F9998993-00	1,000			



TAPE

SIZES AVAILABLE	PART #				
		1 Case	5 Case	10 Case	25 Case
Mylar					
2" Mylar Clear (36 Rolls/Case)	F9900749-0015				
3" Mylar Clear (24 Rolls/Case)	F9900819-0015				
5" Mylar Clear (12 Rolls/Case) <i>Heavy Duty</i>	F9900920-015				
Masking					
3/4" Masking Tape (48 Rolls/Case)	F9900509-0002				
4" Masking Tape (12 Rolls/Case)	F9900890-0002				

\$25.00 Line Minimum \$50.00 Order Minimum

ELECTRICAL TAPE

SIZES AVAILABLE	PART #				
		1 Case	5 Case	10 Case	25 Case
3/4" Electrical Tape 66ft per roll					

Many other sizes available upon request

visit our web site for a video tour
www.engcomponents.com

**OTHER TORX® OR
6-LOBE PRODUCTS
AVAILABLE FROM STOCK**

Torx® Drive Socket Set Screws
Cup Point #2 Thru 1" Diameter Up to 3" Long

Torx® Drive Socket Cap Screws
#4 Thru 5/8" Up to 4" Long





Steel, Zinc Plated Machine Screws	ECC Part #	1,000	2,000	3,000	4,000	5,000	10,000	25,000	50,000	100,000
00-90 x 1/8 TORX PLUS® Pan Head	F8758-2738P									
00-90 x 3/16 TORX PLUS® Pan Head	F8759-3738P									
00-90 x 1/4 TORX PLUS® Pan Head	F8760-4738P									
00-80 x 1/8 TORX PLUS® Pan Head	F8761-5738P									
00-80 x 3/16 TORX PLUS® Pan Head	F8762-6738P									
00-80 x 1/4 TORX PLUS® Pan Head	F8763-7738P									
00-80 x 3/8 TORX PLUS® Pan Head	F8764-8738P									
1-64 x 1/8 TORX PLUS® Pan Head	F8765-9738P									
1-64 x 3/16 TORX PLUS® Pan Head	F8766-0838P									
1-64 x 1/4 TORX PLUS® Pan Head	F8767-1838P									
1-64 x 5/16 TORX PLUS® Pan Head	F8768-2838P									
1-64 x 3/8 TORX PLUS® Pan Head	F8769-3838P									
2-56 x 3/16 TORX PLUS® Pan Head	F8770-4838P									
2-56 x 1/4 TORX PLUS® Pan Head	F8771-5838P									
2-56 x 1/4 TORX PLUS® Flat Head	F8772-038F									
2-56 x 5/16 TORX PLUS® Pan Head	F8773-6838P									
2-56 x 5/16 TORX PLUS® Flat Head	F8774-058P									
2-56 x 3/8 TORX PLUS® Pan Head	F8775-8838P									
2-56 x 1/2 TORX PLUS® Pan Head	F8776-9838P									
3-48 x 1/4 TORX PLUS® Pan Head	F8777-0938P									
3-48 x 5/16 TORX PLUS® Pan Head	F8778-1938P									
3-48 x 3/8 TORX PLUS® Pan Head	F8779-2938P									
3-48 x 1/2 TORX PLUS® Pan Head	F8780-3938P									
4-40 x 1/4 TORX PLUS® Pan Head	F8781-4938P									
4-40 x 1/4 TORX PLUS® Flat Head	F8782-138F									
4-40 x 5/16 TORX PLUS® Pan Head	F8783-5938P									
4-40 x 3/8 TORX PLUS® Pan Head	F8784-6938P									
4-40 x 3/8 TORX PLUS® Flat Head	F8785-238F									
4-40 x 1/2 TORX PLUS® Pan Head	F8786-7938P									
4-40 x 1/2 TORX PLUS® Flat Head	F8787-338F									
4-40 x 3/4 TORX PLUS® Pan Head	F8788-8938P									
4-40 x 1 TORX PLUS® Pan Head	F8789-9938P									
5-40 x 1/4 TORX PLUS® Pan Head	F8790-0048P									
5-40 x 3/8 TORX PLUS® Pan Head	F8791-1048P									
5-40 x 1/2 TORX PLUS® Pan Head	F8792-2048P									
5-40 x 3/4 TORX PLUS® Pan Head	F8793-3048P									
5-40 x 1 TORX PLUS® Pan Head	F8794-4048P									
6-32 x 1/4 TORX PLUS® Pan Head	F8795-5048P									
6-32 x 5/16 TORX PLUS® Pan Head	F8796-6048P									
6-32 x 3/8 TORX PLUS® Pan Head	F8797-7048P									
6-32 x 3/8 TORX PLUS® Flat Head	F8798-438F									
6-32 x 1/2 TORX PLUS® Pan Head	F8799-8048P									
6-32 x 1/2 TORX PLUS® Flat Head	F8800-538F									
6-32 x 5/8 TORX PLUS® Pan Head	F8801-9048P									
6-32 x 3/4 TORX PLUS® Pan Head	F8802-0148P									
6-32 x 1 TORX PLUS® Pan Head	F8803-1148P									

visit our web site for a video tour
www.engcomponents.com



TORX PLUS® MACHINE SCREWS

Steel-Zinc Plated

Steel, Zinc Plated Machine Screws	ECC Part #	1,000	2,000	3,000	4,000	5,000	10,000	25,000	50,000	100,000
6-32 x 1 TORX PLUS® Flat Head	F8804-638F									
8-32 x 1/4 TORX PLUS® Pan Head	F8805-2148P									
8-32 x 5/16 TORX PLUS® Pan Head	F8806-3148P									
8-32 x 3/8 TORX PLUS® Pan Head	F8807-4148P									
8-32 x 3/8 TORX PLUS® Flat Head	F8808-738F									
8-32 x 1/2 TORX PLUS® Pan Head	F8809-5148P									
8-32 x 1/2 TORX PLUS® Flat Head	F8810-838F									
8-32 x 5/8 TORX PLUS® Pan Head	F8811-6148P									
8-32 x 3/4 TORX PLUS® Pan Head	F8812-7148P									
8-32 x 1 TORX PLUS® Pan Head	F8813-8148P									
10-24 x 3/8 TORX PLUS® Pan Head	F8814-9148P									
10-24 x 1/2 TORX PLUS® Pan Head	F8815-0248P									
10-24 x 5/8 TORX PLUS® Pan Head	F8816-1248P									
10-24 x 3/4 TORX PLUS® Pan Head	F8817-2248P									
10-24 x 1 TORX PLUS® Pan Head	F8818-3248P									
10-32 x 3/8 TORX PLUS® Pan Head	F8819-4248P									
10-32 x 1/2 TORX PLUS® Pan Head	F8820-5248P									
10-32 x 5/8 TORX PLUS® Pan Head	F8821-6248P									
10-32 x 3/4 TORX PLUS® Pan Head	F8822-7248P									
10-32 x 1 TORX PLUS® Pan Head	F8823-8248P									
12-24 x 3/8 TORX PLUS® Pan Head	F8824-9248P									
12-24 x 1/2 TORX PLUS® Pan Head	F8825-0348P									
12-24 x 3/4 TORX PLUS® Pan Head	F8826-1348P									
12-24 x 1 TORX PLUS® Pan Head	F8827-2348P									
1/4-20 x 1/2 TORX PLUS® Pan Head	F8828-3348P									
1/4-20 x 5/8 TORX PLUS® Pan Head	F8829-4348P									
1/4-20 x 3/4 TORX PLUS® Pan Head	F8830-5348P									
1/4-20 x 1 TORX PLUS® Pan Head	F8831-6348P									
1/4-20 x 1 1/4 TORX PLUS® Pan Head	F8832-7348P									
1/4-20 x 1 1/2 TORX PLUS® Pan Head	F8833-8348P									
5/16-18 x 1/2 TORX PLUS® Pan Head	F8834-9348P									
5/16-18 x 5/8 TORX PLUS® Pan Head	F8835-0448P									
5/16-18 x 3/4 TORX PLUS® Pan Head	F8836-1448P									
5/16-18 x 1 TORX PLUS® Pan Head	F8837-2448P									
5/16-18 x 1 1/4 TORX PLUS® Pan Head	F8838-3448P									
5/16-18 x 1 1/2 TORX PLUS® Pan Head	F8839-4448P									
5/16-18 x 1 3/4 TORX PLUS® Pan Head	F8840-5448P									
3/8-16 x 1/2 TORX PLUS® Pan Head	F8841-6448P									
3/8-16 x 5/8 TORX PLUS® Pan Head	F8842-7448P									
3/8-16 x 3/4 TORX PLUS® Pan Head	F8843-8448P									
3/8-16 x 1 TORX PLUS® Pan Head	F8844-9448P									

Torx® is a Registered Trademark of Camcar Textron



Steel, Zinc Plated Machine Screws	ECC Part #	1,000	2,000	3,000	4,000	5,000	10,000	25,000	50,000	100,000
3/8-16 x 1 1/4 TORX PLUS® Pan Head	F8845-0548P									
3/8-16 x 1 1/2 TORX PLUS® Pan Head	F8846-1548P									
7/16-14 x 1 TORX PLUS® Pan Head	F8847-2548P									
7/16-14 x 1 1/4 TORX PLUS® Pan Head	F8848-3548P									
7/16-14 x 1 1/2 TORX PLUS® Pan Head	F8849-4548P									
7/16-14 x 1 3/4 TORX PLUS® Pan Head	F8850-5548P									
1/2-13 x 1 TORX PLUS® Pan Head	F8851-6548P									
1/2-13 x 1 1/4 TORX PLUS® Pan Head	F8852-7548P									
1/2-13 x 1 1/2 TORX PLUS® Pan Head	F8853-8548P									
1/2-13 x 1 3/4 TORX PLUS® Pan Head	F8854-9548P									
1/2-13 x 1 TORX PLUS® Pan Head	F8855-0648P									
9/16-12 x 1 1/2 TORX PLUS® Pan Head	F8856-1648P									
9/16-12 x 2 TORX PLUS® Pan Head	F8857-2648P									
9/16-12 x 2 1/2 TORX PLUS® Pan Head	F8858-3648P									
5/8-11 x 1 1/2 TORX PLUS® Pan Head	F8859-4648P									
5/8-11 x 2 TORX PLUS® Pan Head	F8860-5648P									
5/8-11 x 2 1/2 TORX PLUS® Pan Head	F8861-6648P									
M1.6-0.35 x 3 mm TORX PLUS® Pan Head	F8862-7648P									
M1.6-0.35 x 4 mm TORX PLUS® Pan Head	F8863-8648P									
M1.6-0.35 x 5 mm TORX PLUS® Pan Head	F8864-9648P									
M1.6-0.35 x 6 mm TORX PLUS® Pan Head	F8865-0748P									
M1.6-0.35 x 8 mm TORX PLUS® Pan Head	F8866-1748P									
M2-0.4 x 4 mm TORX PLUS® Pan Head	F8867-2748P									
M2-0.4 x 4 mm TORX PLUS® Pan Head	F8868-938F									
M2-0.4 x 6 mm TORX PLUS® Pan Head	F8869-3748P									
M2-0.4 x 6 mm TORX PLUS® Pan Head	F8870-048F									

Torx® is a Registered Trademark of Camcar Textron



Steel, Zinc Plated Machine Screws	ECC Part #	1,000	2,000	3,000	4,000	5,000	10,000	25,000	50,000	100,000
M2-0.4 x 8mm TORX PLUS® Pan Head	F8871-4748P									
M2-0.4 x 10mm TORX PLUS® Pan Head	F8872-5748P									
M2.5-0.45 x 4mm TORX PLUS® Pan Head	F8873-6748P									
M2.5-0.45 x 5mm TORX PLUS® Pan Head	F8874-7748P									
M2.5-0.45 x 6mm TORX PLUS® Pan Head	F8875-8748P									
M2.5-0.45 x 6mm TORX PLUS® Flat Head	F8876-148F									
M2.5-0.45 x 8mm TORX PLUS® Pan Head	F8877-9748P									
M2.5-0.45 x 8mm TORX PLUS® Flat Head	F8878-248F									
M2.5-0.45 x 10mm TORX PLUS® Pan Head	F8879-0848P									
M2.5-0.45 x 12mm TORX PLUS® Pan Head	F8880-1848P									
M3-0.5 x 6mm TORX PLUS® Pan Head	F8881-2848P									
M3-0.5 x 8mm TORX PLUS® Flat Head	F8882-3848P									
M3-0.5 x 8mm TORX PLUS® Flat Head	F8883-348F									
M3-0.5 x 10mm TORX PLUS® Flat Head	F8884-4848P									
M3-0.5 x 12mm TORX PLUS® Pan Head	F8885-5848P									
M3-0.5 x 16mm TORX PLUS® Pan Head	F8886-6848P									
M3.5-0.6 x 6mm TORX PLUS® Pan Head	F8887-7848P									
M3.5-0.6 x 8mm TORX PLUS® Pan Head	F8888-8848P									
M3.5-0.6 x 10mm TORX PLUS® Pan Head	F8889-9848P									
M3.5-0.6 x 12mm TORX PLUS® Pan Head	F8890-0948P									
M3.5-0.6 x 16mm TORX PLUS® Pan Head	F8891-1948P									
M4-0.7 x 6mm TORX PLUS® Pan Head	F8892-2948P									
M4-0.7 x 8mm TORX PLUS® Pan Head	F8893-3948P									
M4-0.7 x 10mm TORX PLUS® Pan Head	F8894-4948P									
M4-0.7 x 12mm TORX PLUS® Pan Head	F8895-5948P									
M4-0.7 x 16mm TORX PLUS® Pan Head	F8896-6948P									

Torx® is a Registered Trademark of Camcar Textron



Steel, Zinc Plated Machine Screws	ECC Part #	1,000	2,000	3,000	4,000	5,000	10,000	25,000	50,000	100,000
M4-0.7 x 20mm TORX PLUS® Pan Head	F8897-7948P									
M4.5-0.75 x 10mm TORX PLUS® Pan Head	F8898-8948P									
M4.5-0.75 x 12mm TORX PLUS® Pan Head	F8899-9948P									
M4.5-0.75 x 16mm TORX PLUS® Pan Head	F8900-0058P									
M4.5-0.75 x 20mm TORX PLUS® Pan Head	F8901-1058P									
M4.5-0.75 x 25mm TORX PLUS® Pan Head	F8902-2058P									
M5-0.8 x 10mm TORX PLUS® Pan Head	F8903-3058P									
M5-0.8 x 12mm TORX PLUS® Pan Head	F8904-4058P									
M5-0.8 x 16mm TORX PLUS® Pan Head	F8905-5058P									
M5-0.8 x 20mm TORX PLUS® Pan Head	F8906-6058P									
M5-0.8 x 25mm TORX PLUS® Pan Head	F8907-7058P									
M6-1.0 x 12mm TORX PLUS® Pan Head	F8908-8058P									
M6-1.0 x 16mm TORX PLUS® Pan Head	F8909-9058P									
M6-1.0 x 20mm TORX PLUS® Pan Head	F8910-0158P									
M6-1.0 x 25mm TORX PLUS® Pan Head	F8911-1158P									
M6-1.0 x 30mm TORX PLUS® Pan Head	F8912-2158P									
M6-1.0 x 35mm TORX PLUS® Pan Head	F8913-3158P									
M8-1.25 x 16mm TORX PLUS® Pan Head	F8914-4158P									
M8-1.25 x 20mm TORX PLUS® Pan Head	F8915-5158P									
M8-1.25 x 25mm TORX PLUS® Pan Head	F8916-6158P									
M8-1.25 x 30mm TORX PLUS® Pan Head	F8917-7158P									
M8-1.25 x 35mm TORX PLUS® Pan Head	F8918-8158P									
M10-1.5 x 20mm TORX PLUS® Pan Head	F8919-9158P									
M10-1.5 x 25mm TORX PLUS® Pan Head	F8920-0258P									
M10-1.5 x 30mm TORX PLUS® Pan Head	F8921-1258P									

Torx® is a Registered Trademark of Camcar Textron



Steel, Zinc Plated Machine Screws	ECC Part #	1,000	2,000	3,000	4,000	5,000	10,000	25,000	50,000	100,000
M10-1.5 x 35 mm TORX PLUS® Pan Head	F8922-2258P									
M12-1.75 x 25 mm TORX PLUS® Pan Head	F8923-3258P									
M12-1.75 x 30 mm TORX PLUS® Pan Head	F8924-4258P									
M12-1.75 x 35mm TORX PLUS® Pan Head	F8925-5258P									
M12-1.75 x 40mm TORX PLUS® Pan Head	F8926-6258P									
M14-2.0 x 25mm TORX PLUS® Pan Head	F8927-7258P									
M14-2.0 x 30mm TORX PLUS® Pan Head	F8928-8258P									
M14-2.0 x 35mm TORX PLUS® Pan Head	F8929-9258P									
M14-2.0 x 40mm TORX PLUS® Pan Head	F8930-0358P									
M16-2.0 x 25mm TORX PLUS® Pan Head	F8931-1358P									
M16-2.0 x 30mm TORX PLUS® Pan Head	F8932-2358P									
M16-2.0 x 35mm TORX PLUS® Pan Head	F8933-3358P									
M16-2.0 x 40mm TORX PLUS® Pan Head	F8934-4358P									

Torx® is a Registered Trademark of Camcar Textron

Call For Pricing on Above



STAINLESS STEEL TORX PLUS® MACHINE SCREWS

Button Head
Pan Head
Flat Head
Socket Head Cap

Passivated Stainless Steel Machine Screws	ECC Part #	1,000	2,000	3,000	4,000	5,000	10,000	25,000	50,000	100,000
0-80 x 1/8 TORX PLUS® Button Head	F8701-119B									
0-80 x 1/8 TORX PLUS® Pan Head	F8702-339P									
0-80 x 1/4 TORX PLUS® Pan Head	F8703-239P									
2-56 x 3/16 TORX PLUS® Button Head	F8704-219B									
2-56 x 1/4 TORX PLUS® Pan Head	F8705-709P									
2-56 x 1/4 TORX PLUS® Socket Head Cap	F8706-409C									
4-40 x 1/8 TORX PLUS® Button Head	F8707-419B									
4-40 x 3/16 TORX PLUS® Button Head	F8708-319B									
4-40 x 1/4 TORX PLUS® Pan Head	F8709-739P									
4-40 x 1/4 TORX PLUS® Flat Head	F8710-709F									
4-40 x 1/4 TORX PLUS® Socket Head Cap	F8711-609C									
4-40 x 3/8 TORX PLUS® Socket Head Cap	F8712-509C									
4-40 x 1/2 TORX PLUS® Flat Head	F8713-809F									
6-32 x 1/4 TORX PLUS® Button Head	F8714-619B									
6-32 x 1/4 TORX PLUS® Pan Head	F8715-809P									
6-32 x 3/8 TORX PLUS® Pan Head	F8716-909P									
6-32 x 3/8 TORX PLUS® Button Head	F8717-519B									
6-32 x 1/2 TORX PLUS® Pan Head	F8718-019P									
6-32 x 1/2 TORX PLUS® Flat Head	F8719-009F									
6-32 x 1 TORX PLUS® Flat Head	F8720-109F									
8-32 x 1/4 TORX PLUS® Pan Head	F8721-409P									
8-32 x 3/8 TORX PLUS® Pan Head	F8722-509P									
8-32 x 1/2 TORX PLUS® Pan Head	F8723-609P									
8-32 x 1/2 TORX PLUS® Flat Head	F8724-209F									
M2-0.4 x 4mm TORX PLUS® Pan Head	F8725-539P									
M2-0.4 x 6mm TORX PLUS® Pan Head	F8726-639P									
M2-0.4 x 10mm TORX PLUS® Pan Head	F8727-439P									
M3-0.5 x 6mm TORX PLUS® Pan Head	F8728-009P									
M3-0.5 x 8mm TORX PLUS® Pan Head	F8729-109P									
M3-0.5 x 10mm TORX PLUS® Pan Head	F8730-209P									
M3-0.5 x 14mm TORX PLUS® Pan Head	F8731-309P									
M4-0.7 x 6mm TORX PLUS® Pan Head	F8732-939P									
M4-0.7 x 8mm TORX PLUS® Pan Head	F8733-049P									
M4-0.7 x 12mm TORX PLUS® Pan Head	F8734-839P									
M5-0.8 x 10mm TORX PLUS® Pan Head	F8735-329P									

visit our web site for a video tour
www.engcomponents.com



TORX PLUS® MACHINE SCREWS WITH CREST CUP WASHERS

All Sizes Pan Head
 All Sizes Steel Zinc

Steel, Zinc Plated Machine Screws w/Crest Cup Washer	ECC Part #	1,000	2,000	3,000	4,000	5,000	10,000	25,000	50,000	100,000
2-56 x 1/4 TORX PLUS® Pan Head	F8736-428P									
2-56 x 3/8 TORX PLUS® Pan Head	F8737-528P									
4-40 x 1/4 TORX PLUS® Pan Head	F8738-558P									
4-40 x 3/8 TORX PLUS® Pan Head	F8739-838P									
4-40 x 1/2 TORX PLUS® Pan Head	F8740-458P									
6-32 x 1/4 TORX PLUS® Pan Head	F8741-338P									
6-32 x 3/8 TORX PLUS® Pan Head	F8742-438P									
6-32 x 1/2 TORX PLUS® Pan Head	F8743-538P									
6-32 x 3/4 TORX PLUS® Pan Head	F8744-638P									
6-32 x 1 TORX PLUS® Pan Head	F8745-738P									
8-32 x 1/4 TORX PLUS® Pan Head	F8746-038P									
8-32 x 3/8 TORX PLUS® Pan Head	F8747-138P									
8-32 x 1/2 TORX PLUS® Pan Head	F8748-238P									
10-32 x 3/8 TORX PLUS® Pan Head	F8749-828P									
10-32 x 1/2 TORX PLUS® Pan Head	F8750-928P									
1/4-20 x 1/2 TORX PLUS® Pan Head	F8751-628P									
M3-0.5 x 6mm TORX PLUS® Pan Head	F8752-348P									
M4-0.7 x 6mm TORX PLUS® Pan Head	F8753-248P									
M4-0.7 x 8mm TORX PLUS® Pan Head	F8754-938P									
M4-0.7 x 10mm TORX PLUS® Pan Head	F8755-148P									
M4-0.7 x 12mm TORX PLUS® Pan Head	F8756-048P									
M5-0.8 x 10mm TORX PLUS® Pan Head	F8757-728P									

Torx® is a Registered Trademark of Camcar Textron

TORX PLUS® TAPTITE® II THREAD-ROLLING FASTENERS

Steel-Zinc Plated



Steel, Zinc Plated Taptite Fasteners	ECC Part #	1,000	2,000	3,000	4,000	5,000	10,000	25,000	50,000	100,000
00-90 x 1/8 TORX PLUS® Pan Head	F8935-0018P									
00-90 x 3/16 TORX PLUS® Pan Head	F8936-1018P									
00-90 x 1/4 TORX PLUS® Pan Head	F8937-2018P									
0-80 x 1/8 TORX PLUS® Pan Head	F8938-648P									
0-80 x 3/16 TORX PLUS® Pan Head	F8939-3018P									
0-80 x 1/4 TORX PLUS® Pan Head	F8940-748P									
0-80 x 5/16 TORX PLUS® Pan Head	F8941-4018P									
0-80 x 3/8 TORX PLUS® Pan Head	F8942-5018P									
0-80 x 1/2 TORX PLUS® Pan Head	F8943-548P									
1-64 x 1/8 TORX PLUS® Pan Head	F8944-6018P									
1-64 x 3/16 TORX PLUS® Pan Head	F8945-7018P									
1-64 x 1/4 TORX PLUS® Pan Head	F8946-8018P									
1-64 x 5/16 TORX PLUS® Pan Head	F8947-9018P									
1-64 x 3/8 TORX PLUS® Pan Head	F8948-0118P									
2-56 x 1/4 TORX PLUS® Pan Head	F8949-848P									
2-56 x 1/4 TORX PLUS® Flat Head	F8950-018F									
2-56 x 5/16 TORX PLUS® Pan Head	F8951-1118P									
2-56 x 3/8 TORX PLUS® Pan Head	F8952-2118P									
2-56 x 1/2 TORX PLUS® Pan Head	F8953-948P									
3-48 x 1/4 TORX PLUS® Pan Head	F8954-3118P									
3-48 x 5/16 TORX PLUS® Pan Head	F8955-4118P									
3-48 x 3/8 TORX PLUS® Pan Head	F8956-5118P									
3-48 x 1/2 TORX PLUS® Pan Head	F8957-6118P									
4-40 x 1/4 TORX PLUS® Pan Head	F8958-908P									
4-40 x 1/4 TORX PLUS® Flat Head	F8959-008P									
4-40 x 5/16 TORX PLUS® Pan Head	F8960-7118P									
4-40 x 3/8 TORX PLUS® Pan Head	F8961-018P									
4-40 x 1/2 TORX PLUS® Pan Head	F8962-118P									
4-40 x 5/8 TORX PLUS® Pan Head	F8963-8118P									
4-40 x 3/4 TORX PLUS® Pan Head	F8964-218P									
4-40 x 1 TORX PLUS® Pan Head	F8965-318P									
5-40 x 1/4 TORX PLUS® Pan Head	F8966-9118P									
5-40 x 5/16 TORX PLUS® Pan Head	F8967-0218P									
5-40 x 3/8 TORX PLUS® Pan Head	F8968-1218P									
5-40 x 1/2 TORX PLUS® Pan Head	F8969-2218P									
6-32 x 1/4 TORX PLUS® Pan Head	F8970-418P									
6-32 x 5/16 TORX PLUS® Pan Head	F8971-3218P									
6-32 x 3/8 TORX PLUS® Pan Head	F2811244-06									
6-32 x 1/2 TORX PLUS® Flat Head	F8973-618P									
6-32 x 1/2 TORX PLUS® Pan Head	F8974-108P									
6-32 x 5/8 TORX PLUS® Pan Head	F8975-4218P									
6-32 x 3/4 TORX PLUS® Pan Head	F8976-718P									
6-32 x 1 TORX PLUS® Pan Head	F8977-818P									
8-32 x 1/4 TORX PLUS® Pan Head	F8978-918P									
8-32 x 5/16 TORX PLUS® Pan Head	F8979-5218P									
8-32 x 3/8 TORX PLUS® Pan Head	F8980-028P									

visit our web site for a video tour
www.engcomponents.com



TORX PLUS® TAPTITE® II THREAD-ROLLING FASTENERS Steel-Zinc Plated

Steel, Zinc Plated Taptite Fasteners	ECC Part #	1,000	2,000	3,000	4,000	5,000	10,000	25,000	50,000	100,000
8-32 x 3/8 TORX PLUS® Flat Head	F8981-118F									
8-32 x 1/2 TORX PLUS® Pan Head	F8982-128P									
8-32 x 5/8 TORX PLUS® Pan Head	F8983-6218P									
8-32 x 3/4 TORX PLUS® Pan Head	F8984-228P									
8-32 x 3/4 TORX PLUS® Flat Head	F8985-218F									
8-32 x 1 TORX PLUS® Pan Head	F8986-328P									
10-24 x 3/8 TORX PLUS® Pan Head	F8987-7218P									
10-24 x 1/2 TORX PLUS® Pan Head	F8988-8218P									
10-24 x 5/8 TORX PLUS® Pan Head	F8989-9218P									
10-24 x 3/4 TORX PLUS® Pan Head	F8990-0318P									
10-24 x 1 TORX PLUS® Pan Head	F8991-1318P									
10-32 x 3/8 TORX PLUS® Pan Head	F8992-058P									
10-32 x 3/8 TORX PLUS® Flat Head	F8993-318F									
10-32 x 1/2 TORX PLUS® Pan Head	F8994-2318P									
10-32 x 5/8 TORX PLUS® Pan Head	F8995-3318P									
10-32 x 3/4 TORX PLUS® Pan Head	F8996-4318P									
10-32 x 3/4 TORX PLUS® Flat Head	F8997-418F									
10-32 x 1 TORX PLUS® Pan Head	F8998-158P									
12-24 x 3/8 TORX PLUS® Pan Head	F8999-5318P									
12-24 x 1/2 TORX PLUS® Pan Head	F9000-6318P									
12-24 x 5/8 TORX PLUS® Pan Head	F9001-7318P									
12-24 x 3/4 TORX PLUS® Pan Head	F9002-8318P									
1/4-20 x 1/2 TORX PLUS® Pan Head	F9003-9318P									
1/4-20 x 3/4 TORX PLUS® Pan Head	F9004-0418P									
1/4-20 x 3/4 TORX PLUS® Flat Head	F9005-518F									
1/4-20 x 1 TORX PLUS® Pan Head	F9006-1418P									
1/4-20 x 1 1/2 TORX PLUS® Pan Head	F9007-2418P									
5/16-18 x 1/2 TORX PLUS® Pan Head	F9008-3418P									
5/16-18 x 5/8 TORX PLUS® Pan Head	F9009-4418P									
5/16-18 x 3/4 TORX PLUS® Pan Head	F9010-5418P									
5/16-18 x 1 TORX PLUS® Pan Head	F9011-6418P									
5/16-18 x 1 1/4 TORX PLUS® Pan Head	F9012-7418P									
5/16-18 x 1 1/2 TORX PLUS® Pan Head	F9013-8418P									
3/8-16 x 1/2 TORX PLUS® Pan Head	F9014-9418P									
3/8-16 x 3/4 TORX PLUS® Pan Head	F9015-0518P									
3/8-16 x 1 TORX PLUS® Pan Head	F9016-1518P									
3/8-16 x 1 1/4 TORX PLUS® Pan Head	F9017-2518P									
3/8-16 x 1 1/2 TORX PLUS® Pan Head	F9018-3518P									
7/16-14 x 1 TORX PLUS® Pan Head	F9019-4518P									
7/16-14 x 1 1/2 TORX PLUS® Pan Head	F9020-5518P									
7/16-14 x 1 3/4 TORX PLUS® Pan Head	F9021-6518P									
7/16-14 x 2 TORX PLUS® Pan Head	F9022-7518P									
1/2-13 x 1 TORX PLUS® Pan Head	F9023-8518P									
1/2-13 x 1 1/2 TORX PLUS® Pan Head	F9024-9518P									
1/2-13 x 2 TORX PLUS® Pan Head	F9025-0618P									

Torx® is a Registered Trademark of Camcar Textron



TORX PLUS® TAPTITE® II THREAD-ROLLING FASTENERS

Steel-Zinc Plated

Steel, Zinc Plated Taptite Fasteners	ECC Part #	1,000	2,000	3,000	4,000	5,000	10,000	25,000	50,000	100,000
9/16-12 x 1 1/2 TORX PLUS® Pan Head	F9026-1618P									
9/16-12 x 2 TORX PLUS® Pan Head	F9027-2618P									
9/16-12 x 2 1/2 TORX PLUS® Pan Head	F9028-3618P									
5/8-11 x 1 1/2 TORX PLUS® Pan Head	F9029-4618P									
5/8-11 x 2 TORX PLUS® Pan Head	F9030-5618P									
5/8-11 x 2 1/2 TORX PLUS® Pan Head	F9031-6618P									
M1.6-0.35 x 3mm TORX PLUS® Pan Head	F9032-7618P									
M1.6-0.35 x 4mm TORX PLUS® Pan Head	F9033-8618P									
M1.6-0.35 x 5mm TORX PLUS® Pan Head	F9034-9618P									
M1.6-0.35 x 6mm TORX PLUS® Pan Head	F9035-0718P									
M2-0.4 x 4mm TORX PLUS® Pan Head	F9036-1718P									
M2-0.4 x 4mm TORX PLUS® Flat Head	F9037-618F									
M2-0.4 x 5mm TORX PLUS® Pan Head	F9038-2718P									
M2-0.4 x 6mm TORX PLUS® Pan Head	F9039-3718P									
M2-0.4 x 6mm TORX PLUS® Flat Head	F9040-718F									
M2-0.4 x 8mm TORX PLUS® Pan Head	F9041-4718P									
M2-0.4 x 10mm TORX PLUS® Pan Head	F9072-5718P									
M2-0.4 x 12mm TORX PLUS® Pan Head	F9073-6718P									
M2.5-0.45 x 4mm TORX PLUS® Pan Head	F9074-7718P									
M2.5-0.45 x 5mm TORX PLUS® Pan Head	F9075-8718P									
M2.5-0.45 x 6mm TORX PLUS® Pan Head	F9076-9718P									
M2.5-0.45 x 6mm TORX PLUS® Flat Head	F9077-818F									
M2.5-0.45 x 8mm TORX PLUS® Pan Head	F9078-0818P									
M2.5-0.45 x 8mm TORX PLUS® Flat Head	F9079-918F									
M2.5-0.45 x 10mm TORX PLUS® Pan Head	F9080-1818P									
M2.5-0.45 x 12mm TORX PLUS® Pan Head	F9081-2818P									
M3-0.5 x 6mm TORX PLUS® Pan Head	F9082-008P									
M3-0.5 x 8mm TORX PLUS® Pan Head	F9083-108P									
M3-0.5 x 8mm TORX PLUS® Flat Head	F9084-028F									
M3-0.5 x 10mm TORX PLUS® Pan Head	F9085-3818P									
M3-0.5 x 12mm TORX PLUS® Pan Head	F9086-4818P									
M3.5-0.6 x 6mm TORX PLUS® Pan Head	F9087-208P									
M3.5-0.6 x 8mm TORX PLUS® Pan Head	F9088-308P									
M3.5-0.6 x 10mm TORX PLUS® Pan Head	F9089-5818P									

Torx® is a Registered Trademark of Camcar Textron

visit our web site for a video tour
www.engcomponents.com



TORX PLUS® TAPTITE® II THREAD-ROLLING FASTENERS Steel-Zinc Plated

Steel, Zinc Plated Taptite Fasteners	ECC Part #	1,000	2,000	3,000	4,000	5,000	10,000	25,000	50,000	100,000
M3.5-0.6 x 12mm TORX PLUS® Pan Head	F9090-408P									
M3.5-0.6 x 16mm TORX PLUS® Pan Head	F9091-6818P									
M3.5-0.6 x 20mm TORX PLUS® Pan Head	F9092-7818P									
M4-0.7 x 8mm TORX PLUS® Pan Head	F9093-8818P									
M4-0.7 x 10mm TORX PLUS® Pan Head	F9094-9818P									
M4-0.7 x 12mm TORX PLUS® Pan Head	F9095-258P									
M4-0.7 x 16mm TORX PLUS® Pan Head	F9096-0918P									
M4-0.7 x 20mm TORX PLUS® Pan Head	F9097-1918P									
M4-0.7 x 25mm TORX PLUS® Pan Head	F9098-2918P									
M4-0.7 x 30mm TORX PLUS® Pan Head	F9099-3918P									
M4.5-0.75 x 10mm TORX PLUS® Pan Head	F9100-4918P									
M4.5-0.75 x 12mm TORX PLUS® Pan Head	F9101-5918P									
M4.5-0.75 x 16mm TORX PLUS® Pan Head	F9102-6918P									
M4.5-0.75 x 20mm TORX PLUS® Pan Head	F9103-7918P									
M4.5-0.75 x 25mm TORX PLUS® Pan Head	F9104-8918P									
M4.5-0.75 x 30mm TORX PLUS® Pan Head	F9105-9918P									
M5-0.8 x 10mm TORX PLUS® Pan Head	F9106-0028P									
M5-0.8 x 12mm TORX PLUS® Pan Head	F9107-448P									
M5-0.8 x 16mm TORX PLUS® Pan Head	F9108-1028P									
M5-0.8 x 20mm TORX PLUS® Pan Head	F9109-2028P									
M5-0.8 x 25mm TORX PLUS® Pan Head	F9110-3028P									
M5-0.8 x 30mm TORX PLUS® Pan Head	F9111-4028P									
M6-1.0 x 12mm TORX PLUS® Pan Head	F9112-5028P									
M6-1.0 x 16mm TORX PLUS® Pan Head	F9113-6028P									
M6-1.0 x 20mm TORX PLUS® Pan Head	F9114-7028P									
M6-1.0 x 25mm TORX PLUS® Pan Head	F9115-8028P									
M6-1.0 x 30mm TORX PLUS® Pan Head	F9116-9028P									
M6-1.0 x 35mm TORX PLUS® Pan Head	F9117-0128P									
M8-1.25 x 16mm TORX PLUS® Pan Head	F9118-1128P									
M8-1.25 x 20mm TORX PLUS® Pan Head	F9119-2128P									
M8-1.25 x 25mm TORX PLUS® Pan Head	F9120-3128P									
M8-1.25 x 30mm TORX PLUS® Pan Head	F9121-4128P									
M8-1.25 x 35mm TORX PLUS® Pan Head	F9122-5128P									
M10-1.5 x 20mm TORX PLUS® Pan Head	F9123-6128P									
M10-1.5 x 25mm TORX PLUS® Pan Head	F9124-7128P									
M10-1.5 x 30mm TORX PLUS® Pan Head	F9125-8128P									
M10-1.5 x 35mm TORX PLUS® Pan Head	F9126-9128P									
M12-1.75 x 25mm TORX PLUS® Pan Head	F9127-0228P									

Torx® is a Registered Trademark of Camcar Textron



TORX® PLUS® TAPTITE® II THREAD-ROLLING FASTENERS

Steel-Zinc Plated

Steel, Zinc Plated Taptite Fasteners	ECC Part #	1,000	2,000	3,000	4,000	5,000	10,000	25,000	50,000	100,000
M12-1.75 x 30 mm TORX PLUS® Pan Head	F9128-1228P									
M12-1.75 x 35 mm TORX PLUS® Pan Head	F9129-2228P									
M12-1.75 x 40 mm TORX PLUS® Pan Head	F9130-3228P									
M14-2.0 x 25 mm TORX PLUS® Pan Head	F9131-4228P									
M14-2.0 x 30 mm TORX PLUS® Pan Head	F9132-5228P									
M14-2.0 x 35 mm TORX PLUS® Pan Head	F9133-6228P									
M14-2.0 x 40 mm TORX PLUS® Pan Head	F9134-7228P									
M16-2.0 x 25 mm TORX PLUS® Pan Head	F9135-8228P									
M16-2.0 x 30 mm TORX PLUS® Pan Head	F9136-9228P									
M16-2.0 x 35 mm TORX PLUS® Pan Head	F9137-0328P									
M16-2.0 x 40 mm TORX PLUS® Pan Head	F9138-1328P									

Torx® is a Registered Trademark of Camcar Textron

Call For Pricing on Above

visit our web site for a video tour
www.engcomponents.com



TORX PLUS® PLASTITE® THREAD-FORMING SCREWS

Pan and Flat Head
 Steel-Zinc Plated

Steel, Zinc Plated Plastite Fasteners	ECC Part #	1,000	2,000	3,000	4,000	5,000	10,000	25,000	50,000	100,000
00-51 x 1/8 TORX PLUS® Pan Head	F9139-2328P									
00-51 x 1/8 TORX PLUS® Flat Head	F9140-128F									
00-51 x 1/4 TORX PLUS® Pan Head	F9141-3328P									
00-51 x 5/16 TORX PLUS® Pan Head	F9142-4328P									
0-42 x 3/16 TORX PLUS® Pan Head	F9143-5328P									
0-42 x 1/4 TORX PLUS® Pan Head	F9144-6328P									
0-42 x 5/16 TORX PLUS® Pan Head	F9145-7328P									
0-42 x 3/8 TORX PLUS® Pan Head	F9146-8328P									
1-32 x 3/16 TORX PLUS® Pan Head	F9147-9328P									
1-32 x 1/4 TORX PLUS® Pan Head	F9148-0428P									
1-32 x 1/4 TORX PLUS® Flat Head	F9149-228F									
1-32 x 5/16 TORX PLUS® Pan Head	F9150-1428P									
1-32 x 3/8 TORX PLUS® Pan Head	F9151-2428P									
2-28 x 1/4 TORX PLUS® Pan Head	F9152-3428P									
2-28 x 1/4 TORX PLUS® Flat Head	F9153-328F									
2-28 x 5/16 TORX PLUS® Pan Head	F9154-4428P									
2-28 x 3/8 TORX PLUS® Pan Head	F9155-5428P									
2-28 x 1/2 TORX PLUS® Pan Head	F9156-6428P									
2-28 x 5/8 TORX PLUS® Pan Head	F9157-7428P									
2-28 x 3/4 TORX PLUS® Pan Head	F9158-8428P									
3-24 x 1/4 TORX PLUS® Pan Head	F9159-9428P									
3-24 x 5/16 TORX PLUS® Pan Head	F9160-0528P									
3-24 x 3/8 TORX PLUS® Pan Head	F9161-1528P									
3-24 x 3/8 TORX PLUS® Flat Head	F9162-428F									
3-24 x 1/2 TORX PLUS® Pan Head	F9163-2528P									
3-24 x 5/8 TORX PLUS® Pan Head	F9164-3528P									
3-24 x 3/4 TORX PLUS® Pan Head	F9165-4528P									
4-20 x 1/4 TORX PLUS® Pan Head	F9166-5528P									
4-20 x 5/16 TORX PLUS® Pan Head	F9167-6528P									
4-20 x 3/8 TORX PLUS® Pan Head	F9168-7528P									
4-20 x 3/8 TORX PLUS® Flat Head	F9169-528F									
4-20 x 1/2 TORX PLUS® Pan Head	F9170-9528P									
4-20 x 5/8 TORX PLUS® Pan Head	F9171-0628P									
4-20 x 3/4 TORX PLUS® Pan Head	F9172-1628P									
6-19 x 1/4 TORX PLUS® Pan Head	F9173-2628P									
6-19 x 5/16 TORX PLUS® Pan Head	F9174-3628P									
6-19 x 3/8 TORX PLUS® Pan Head	F9175-4628P									
6-19 x 1/2 TORX PLUS® Pan Head	F9176-5628P									
6-19 x 1/2 TORX PLUS® Flat Head	F9177-628F									
6-19 x 5/8 TORX PLUS® Pan Head	F9178-6628P									
6-19 x 3/4 TORX PLUS® Pan Head	F9179-7628P									
7-18 x 3/8 TORX PLUS® Pan Head	F9180-8628P									

Torx® is a Registered Trademark of Camcar Textron



TORX PLUS® PLASTITE® THREAD-FORMING SCREWS

Pan and Flat Head
Steel-Zinc Plated

Steel, Zinc Plated Plastite Fasteners	ECC Part #	1,000	2,000	3,000	4,000	5,000	10,000	25,000	50,000	100,000
7-18 x 1/2 TORX PLUS® Pan Head	F9181-9628P									
7-18 x 5/8 TORX PLUS® Pan Head	F9182-0728P									
7-18 x 3/4 TORX PLUS® Pan Head	F9183-1728P									
8-16 x 3/8 TORX PLUS® Pan Head	F9184-2728P									
8-16 x 1/2 TORX PLUS® Pan Head	F9185-3728P									
8-16 x 1/2 TORX PLUS® Flat Head	F9186-728F									
8-16 x 5/8 TORX PLUS® Pan Head	F9187-4728P									
8-16 x 3/4 TORX PLUS® Pan Head	F9188-5728P									
8-16 x 1 TORX PLUS® Pan Head	F9189-6728P									
9-15 x 1/2 TORX PLUS® Pan Head	F9190-7728P									
9-15 x 1/2 TORX PLUS® Flat Head	F9191-828F									
9-15 x 5/8 TORX PLUS® Pan Head	F9192-8728P									
9-15 x 3/4 TORX PLUS® Pan Head	F9193-9728P									
9-15 x 1 TORX PLUS® Pan Head	F9194-0828P									
10-14 x 1/2 TORX PLUS® Pan Head	F9195-1828P									
10-14 x 1/2 TORX PLUS® Flat Head	F9196-928F									
10-14 x 5/8 TORX PLUS® Pan Head	F9197-2828P									
10-14 x 3/4 TORX PLUS® Pan Head	F9198-3828P									
10-14 x 1 TORX PLUS® Pan Head	F9199-4828P									
12-14 x 1/2 TORX PLUS® Pan Head	F9200-5828P									
12-14 x 5/8 TORX PLUS® Pan Head	F9201-6828P									
12-14 x 3/4 TORX PLUS® Pan Head	F9202-7828P									
12-14 x 1 TORX PLUS® Pan Head	F9203-8828P									
1/4-10 x 1/2 TORX PLUS® Pan Head	F9204-9828P									
1/4-10 x 5/8 TORX PLUS® Pan Head	F9205-0928P									
1/4-10 x 3/4 TORX PLUS® Pan Head	F9206-1928P									
1/4-10 x 1 TORX PLUS® Pan Head	F9207-2928P									
1/4-10 x 1 1/4 TORX PLUS® Pan Head	F9208-3928P									
5/16-9 x 1/2 TORX PLUS® Pan Head	F9209-4928P									
5/16-9 x 5/8 TORX PLUS® Pan Head	F9210-5928P									
5/16-9 x 3/4 TORX PLUS® Pan Head	F9211-6928P									
5/16-9 x 1 TORX PLUS® Pan Head	F9212-7928P									
5/16-9 x 1 1/4 TORX PLUS® Pan Head	F9213-8928P									
M1.12-0.50 x 3 mm TORX PLUS® Pan Head	F9214-9928P									
M1.12-0.50 x 4 mm TORX PLUS® Pan Head	F9215-0038P									
M1.12-0.50 x 5 mm TORX PLUS® Pan Head	F9216-1038P									
M1.12-0.50 x 6 mm TORX PLUS® Pan Head	F9217-2038P									
M1.12-0.50 x 8 mm TORX PLUS® Pan Head	F9218-3038P									
M1.59-0.60 x 3 mm TORX PLUS® Pan Head	F9219-4038P									
M1.59-0.60 x 4 mm TORX PLUS® Pan Head	F9220-5038P									
M1.59-0.60 x 5 mm TORX PLUS® Pan Head	F9221-6038P									

Torx® is a Registered Trademark of Camcar Textron

visit our web site for a video tour
www.engcomponents.com



TORX PLUS® PLASTITE® THREAD-FORMING SCREWS

Pan and Flat Head
 Steel-Zinc Plated

Steel, Zinc Plated Plastite Fasteners	ECC Part #	1,000	2,000	3,000	4,000	5,000	10,000	25,000	50,000	100,000
M1.59-0.60 x 6mm TORX PLUS® Pan Head	F9222-7038P									
M1.59-0.60 x 8mm TORX PLUS® Pan Head	F9223-8038P									
M1.59-0.60 x 10mm TORX PLUS® Pan Head	F9224-9038P									
M1.91-0.79 x 4mm TORX PLUS® Pan Head	F9225-0138P									
M1.91-0.79 x 5mm TORX PLUS® Pan Head	F9226-1138P									
M1.91-0.79 x 6mm TORX PLUS® Pan Head	F9227-2138P									
M1.91-0.79 x 8mm TORX PLUS® Pan Head	F9228-3138P									
M1.91-0.79 x 10mm TORX PLUS® Pan Head	F9229-4138P									
M2.26-0.91 x 4mm TORX PLUS® Pan Head	F9230-5138P									
M2.26-0.91 x 5mm TORX PLUS® Pan Head	F9231-6138P									
M2.26-0.91 x 6mm TORX PLUS® Pan Head	F9232-7138P									
M2.26-0.91 x 8mm TORX PLUS® Pan Head	F9233-8138P									
M2.26-0.91 x 10mm TORX PLUS® Pan Head	F9234-9138P									
M2.26-0.91 x 12mm TORX PLUS® Pan Head	F9235-0238P									
M2.63-1.06 x 6mm TORX PLUS® Pan Head	F9236-1238P									
M2.63-1.06 x 8mm TORX PLUS® Pan Head	F9237-2238P									
M2.63-1.06 x 10mm TORX PLUS® Pan Head	F9238-3238P									
M2.63-1.06 x 12mm TORX PLUS® Pan Head	F9239-4238P									
M3.12-1.27 x 6mm TORX PLUS® Pan Head	F9240-5238P									
M3.12-1.27 x 8mm TORX PLUS® Pan Head	F9241-6238P									
M3.12-1.27 x 10mm TORX PLUS® Pan Head	F9242-7238P									
M3.12-1.27 x 12mm TORX PLUS® Pan Head	F9243-8238P									
M3.12-1.27 x 16mm TORX PLUS® Pan Head	F9244-9238P									
M3.63-1.34 x 6mm TORX PLUS® Pan Head	F9245-0338P									
M3.63-1.34 x 8mm TORX PLUS® Pan Head	F9246-1338P									
M3.63-1.34 x 10mm TORX PLUS® Pan Head	F9247-2338P									
M3.63-1.34 x 12mm TORX PLUS® Pan Head	F9248-3338P									
M3.63-1.34 x 16mm TORX PLUS® Pan Head	F9249-4338P									
M3.63-1.34 x 20mm TORX PLUS® Pan Head	F9250-5338P									
M4.06-1.41 x 10mm TORX PLUS® Pan Head	F9251-6338P									
M4.06-1.41 x 12mm TORX PLUS® Pan Head	F9252-7338P									
M4.06-1.41 x 16mm TORX PLUS® Pan Head	F9253-8338P									
M4.06-1.41 x 20mm TORX PLUS® Pan Head	F9254-9338P									

Torx® is a Registered Trademark of Camcar Textron



TORX PLUS® PLASTITE® THREAD-FORMING SCREWS

Pan and Flat Head
Steel-Zinc Plated

Steel, Zinc Plated Plastite Fasteners	ECC Part #	1,000	2,000	3,000	4,000	5,000	10,000	25,000	50,000	100,000
M4.55-1.59 x 10mm TORX PLUS® Pan Head	F9255-0438P									
M4.55-1.59 x 12mm TORX PLUS® Pan Head	F9256-1438P									
M4.55-1.59 x 16mm TORX PLUS® Pan Head	F9257-2438P									
M4.55-1.59 x 20mm TORX PLUS® Pan Head	F9258-3438P									
M4.55-1.59 x 25mm TORX PLUS® Pan Head	F9259-4438P									
M4.90-1.69 x 10mm TORX PLUS® Pan Head	F9260-5438P									
M4.90-1.69 x 12mm TORX PLUS® Pan Head	F9261-6438P									
M4.90-1.69 x 16mm TORX PLUS® Pan Head	F9262-7438P									
M4.90-1.69 x 20 mm TORX PLUS® Pan Head	F9263-8438P									
M4.90-1.69 x 25 mm TORX PLUS® Pan Head	F9264-9438P									
M5.28-1.81 x 10 mm TORX PLUS® Pan Head	F9265-0538P									
M5.28-1.81 x 12 mm TORX PLUS® Pan Head	F9266-1538P									
M5.28-1.81 x 16 mm TORX PLUS® Pan Head	F9267-2538P									
M5.28-1.81 x 20 mm TORX PLUS® Pan Head	F9268-3538P									
M5.28-1.81 x 25 mm TORX PLUS® Pan Head	F9269-4538P									
M5.28-1.81 x 30 mm TORX PLUS® Pan Head	F9270-5538P									
M5.74-1.81 x 12 mm TORX PLUS® Pan Head	F9271-6538P									
M5.74-1.81 x 16 mm TORX PLUS® Pan Head	F9272-7538P									
M5.74-1.81 x 20 mm TORX PLUS® Pan Head	F9273-8538P									
M5.74-1.81 x 25 mm TORX PLUS® Pan Head	F9274-9538P									
M5.74-1.81 x 30 mm TORX PLUS® Pan Head	F9275-0638P									
M6.81-2.54 x 12 mm TORX PLUS® Pan Head	F9276-1638P									
M6.81-2.54 x 16 mm TORX PLUS® Pan Head	F9277-2638P									
M6.81-2.54 x 20 mm TORX PLUS® Pan Head	F9278-3638P									
M6.81-2.54 x 25 mm TORX PLUS® Pan Head	F9279-4638P									
M6.81-2.54 x 30 mm TORX PLUS® Pan Head	F9280-5638P									
M8.51-2.82 x 12 mm TORX PLUS® Pan Head	F9281-6638P									
M8.51-2.82 x 16 mm TORX PLUS® Pan Head	F9282-7638P									
M8.51-2.82 x 20 mm TORX PLUS® Pan Head	F9283-8638P									
M8.51-2.82 x 25 mm TORX PLUS® Pan Head	F9284-9638P									
M8.51-2.82 x 30 mm TORX PLUS® Pan Head	F9285-0738P									
M8.51-2.82 x 35 mm TORX PLUS® Pan Head	F9286-1738P									

Torx® is a Registered Trademark of Camcar Textron

visit our web site for a video tour
www.engcomponents.com



TORX PLUS® STAINLESS STEEL PLASTITE® II THREAD-FORMING SCREWS

Pan and Flat Head

Passivated Stainless Steel Plastite® Fasteners	ECC Part #	1,000	2,000	3,000	4,000	5,000	10,000	25,000	50,000	100,000
0-42 x 1/4 TORX PLUS® Pan Head	F9287-719P									
0-42 x 1/4 TORX PLUS® Pan Head	F9288-309F									
0-42 x 3/8 TORX PLUS® Pan Head	F9289-819P									
2-28 x 1/4 TORX PLUS® Pan Head	F9290-919P									
2-28 x 1/4 TORX PLUS® Pan Head	F9291-509F									
2-28 x 3/8 TORX PLUS® Pan Head	F9292-029P									
2-28 x 1/2 TORX PLUS® Pan Head	F9293-129P									
2-28 x 3/4 TORX PLUS® Pan Head	F9294-229P									
4-20 x 1/4 TORX PLUS® Pan Head	F9295-119P									
4-20 x 3/8 TORX PLUS® Pan Head	F9296-219P									
4-20 x 1/2 TORX PLUS® Pan Head	F9297-319P									
4-20 x 3/4 TORX PLUS® Pan Head	F9298-419P									
6-19 x 1/4 TORX PLUS® Pan Head	F9299-429P									
6-19 x 3/8 TORX PLUS® Pan Head	F9300-529P									
6-19 x 1/2 TORX PLUS® Pan Head	F9301-629P									
6-19 x 1/2 TORX PLUS® Pan Head	F9302-609F									
6-19 x 3/4 TORX PLUS® Pan Head	F9303-729P									
8-16 x 3/8 TORX PLUS® Pan Head	F9304-519P									
8-16 x 1/2 TORX PLUS® Pan Head	F9305-619P									
M2.26-0.91 X 6 mm TORX PLUS® Pan Head	F9306-139P									

Torx® is a Registered Trademark of Camcar Textron



FAB-LOK® FASTENERS

#10-24 Hex Washer Head Machine Screw
Assembled to a Slotted Aluminum Sleeve
and EPDM Sealing Washer

Steel

Part#	Grip	O.A. Length	
EC1-DCF-104A0	.062 - .250	1.373	
EC2-DCF-104A0	.250 - .500	1.612	
EC3-DCF-112A0	.500 - .750	1.807	

Stainless Steel 300 Series

Part#	Grip	O.A. Length	
EC4-DCF-104A5	.062 - .250	1.373	
EC5-DCF-108A5	.250 - .500	1.612	
EC6-DCF-112A5	.500 - .750	1.807	


sometimes **RELAXATION IS A BAD word**

**That's what happens
after the current wheel
nut is tightened.**

A common problem encountered by over the road (OTR) tractor trailers is the loosening of the lug nuts on the wheels of both the tractor and the trailer. When the M22 steel is torqued to 500 ft. lbs., 1" of the stud stretches approximately .005 (5 thousandths)...Not Enough to Maintain Clamp Load. It is believed the "relaxation" problem is much greater with aluminum wheels.

The New, Patented M22 Disc Spring Wheel Nut is designed specifically to help solve this "relaxation" problem. This exclusive assembly allows .074 (seventy-four thousandths) and as low as .030 (thirty thousandths) with the Disc Spring starting at 42,000 lbs. factoring in .010 (ten thousandths) "relaxation"; you will still have 40,000 lbs. of clamp load. See chart for further detail.

Part # F0899000-0182



Nut

Conventional M22 Nut
same as being used


Disc Spring

6150 Chrome Vanadium Heat treated phosphate oil and teflon dip. The Disc Spring has a crown, arch, (deflection) of .074

Load Vs. Deflection

Theoretical Vs. Actual

Tightened to flat 500 ft. pounds 42,000 lbs. pressure



visit our web site for a video tour

www.engcomponents.com

1100 Davis Road
Elgin, Illinois 60123
Phone: 847.841.7000
Fax: 847.841.7007
web site: www.engcomponents.com

	DECIMALS	MILLIMETERS
	$\frac{1}{64}$	0.015625 — 0.397
$\frac{1}{32}$	$\frac{3}{64}$	.03125 — 0.794
$\frac{1}{16}$	$\frac{5}{64}$	.046875 — 1.191
	$\frac{7}{64}$	.0625 — 1.588
	$\frac{9}{64}$	.078125 — 1.984
	$\frac{11}{64}$	.09375 — 2.381
$\frac{1}{8}$	$\frac{13}{64}$	.109375 — 2.778
	$\frac{15}{64}$	.1250 — 3.175
	$\frac{17}{64}$	.140625 — 3.572
	$\frac{19}{64}$	.15625 — 3.969
	$\frac{21}{64}$	.171875 — 4.366
	$\frac{23}{64}$	.1875 — 4.763
	$\frac{25}{64}$	.203125 — 5.159
	$\frac{27}{64}$	.21875 — 5.556
$\frac{1}{4}$	$\frac{29}{64}$	.234375 — 5.953
	$\frac{31}{64}$	.2500 — 6.350
	$\frac{33}{64}$	.265625 — 6.747
	$\frac{35}{64}$	.28125 — 7.144
	$\frac{37}{64}$	.296875 — 7.541
	$\frac{39}{64}$	.3125 — 7.938
	$\frac{41}{64}$	.328125 — 8.334
	$\frac{43}{64}$	.34375 — 8.731
$\frac{3}{8}$	$\frac{45}{64}$	.359375 — 9.128
	$\frac{47}{64}$	.3750 — 9.525
	$\frac{49}{64}$	.390625 — 9.922
	$\frac{51}{64}$	.40625 — 10.319
	$\frac{53}{64}$	.421875 — 10.716
	$\frac{55}{64}$	.4375 — 11.113
	$\frac{57}{64}$	.453125 — 11.509
	$\frac{59}{64}$	.46875 — 11.906
$\frac{1}{2}$	$\frac{61}{64}$	.484375 — 12.303
	$\frac{63}{64}$	.5000 — 12.700

1 mm = .03937"

	DECIMALS	MILLIMETERS
	$\frac{33}{64}$	0.515625 — 13.097
$\frac{17}{32}$	$\frac{35}{64}$	.53125 — 13.494
$\frac{9}{16}$	$\frac{37}{64}$	.546875 — 13.891
	$\frac{39}{64}$	.5625 — 14.288
	$\frac{41}{64}$	.578125 — 14.684
	$\frac{43}{64}$	.59375 — 15.081
$\frac{5}{8}$	$\frac{45}{64}$	.609375 — 15.478
	$\frac{47}{64}$	.6250 — 15.875
	$\frac{49}{64}$	.640625 — 16.272
	$\frac{51}{64}$	.65625 — 16.669
	$\frac{53}{64}$	.671875 — 17.066
	$\frac{55}{64}$	.6875 — 17.463
	$\frac{57}{64}$	.703125 — 17.859
	$\frac{59}{64}$	.71875 — 18.256
$\frac{3}{4}$	$\frac{61}{64}$	.734375 — 18.653
	$\frac{63}{64}$	.7500 — 19.050
	$\frac{65}{64}$	.765625 — 19.447
	$\frac{67}{64}$	.78125 — 19.844
	$\frac{69}{64}$	.796875 — 20.241
	$\frac{71}{64}$	.8125 — 20.638
	$\frac{73}{64}$	.828125 — 21.034
	$\frac{75}{64}$	.84375 — 21.431
$\frac{7}{8}$	$\frac{77}{64}$	.859375 — 21.828
	$\frac{79}{64}$	.8750 — 22.225
	$\frac{81}{64}$	.890625 — 22.622
	$\frac{83}{64}$	.90625 — 23.019
	$\frac{85}{64}$	.921875 — 23.416
	$\frac{87}{64}$	.9375 — 23.813
	$\frac{89}{64}$	.953125 — 24.209
	$\frac{91}{64}$	.96875 — 24.606
$\frac{1}{1}$	$\frac{93}{64}$	.984375 — 25.003
	$\frac{95}{64}$	1.000 — 25.400

.001" = .0254 mm

MM	INCHES	MM	INCHES
.1	.0039	46	1.8110
.2	.0079	47	1.8504
.3	.0118	48	1.8898
.4	.0157	49	1.9291
.5	.0197	50	1.9685
.6	.0236	51	2.0079
.7	.0276	52	2.0472
.8	.0315	53	2.0866
.9	.0354	54	2.1260
1	.0394	55	2.1654
2	.0787	56	2.2047
3	.1181	57	2.2441
4	.1575	58	2.2835
5	.1969	59	2.3228
6	.2362	60	2.3622
7	.2756	61	2.4016
8	.3150	62	2.4409
9	.3543	63	2.4803
10	.3937	64	2.5197
11	.4331	65	2.5591
12	.4724	66	2.5984
13	.5118	67	2.6378
14	.5512	68	2.6772
15	.5906	69	2.7165
16	.6299	70	2.7559
17	.6693	71	2.7953
18	.7087	72	2.8346
19	.7480	73	2.8740
20	.7874	74	2.9134
21	.8268	75	2.9528
22	.8661	76	2.9921
23	.9055	77	3.0315
24	.9449	78	3.0709
25	.9843	79	3.1102
26	1.0236	80	3.1496
27	1.0630	81	3.1890
28	1.1024	82	3.2283
29	1.1417	83	3.2677
30	1.1811	84	3.3071
31	1.2205	85	3.3465
32	1.2598	86	3.3858
33	1.2992	87	3.4252
34	1.3386	88	3.4646
35	1.3780	89	3.5039
36	1.4173	90	3.5433
37	1.4567	91	3.5827
38	1.4961	92	3.6220
39	1.5354	93	3.6614
40	1.5748	94	3.7008
41	1.6142	95	3.7402
42	1.6535	96	3.7795
43	1.6929	97	3.8189
44	1.7323	98	3.8583
45	1.7717	99	3.8976
		100	3.9370

Poly Seal® is a trademark of Engineered Components Company
Torx® is a trademark of Camcar Div. of Textron
Corroflo is a trademark of Camcar Div. of Textron
Camtainer is a trademark of Camcar Div. of Textron

ROD ENDS HEIM JOINTS

**Engineered
Components**
COMPANY

Rod Ends Technology Specification:

- Hardness of steel ball is about 58~64 HRC, it rotates freely and out bearing does not loosen.
- Hardness of linkage body is modulated to 20-24 HRC.
- The linkage body and thread surface is free from fraction, corrosion rust and other forging imperfection.



Heim Joints

Technology Specification:

- Round smoothly with stagnation.
- Ball clearance: axial straight angle direction 0.025~0.065 mm, axial clearance ≤ 0.3 mm
- Thread precision: Grade 6H
- Ball shaft: steel 40Cr.
- Ball housing: 45# steel.



**1100 Davis Road
Elgin Illinois, 60123
Phone: 847-841-7000
Fax: 847-841-7007**



visit our web site for a video tour

www.engcomponents.com


Engineered Components

COMPANY

HIGH SPEED POLY BAGGING EQUIPMENT



Engineering Resources to Reduce Cost



Pyramid Quality Laboratory



1100 Davis Road
Elgin Illinois, 60123
Phone: 847-841-7000
Fax: 847-841-7007



visit our web site for a video tour

www.engcomponents.com

TRW Fasteners

Ratchet Fasteners for Panel Applications of Variable Thickness

TRW Ratchet Fasteners come in a broad array of configurations and design styles that give designers great leeway. Practically all of the forms are based, however, on the same feature: flexible ribs on the shank that bend when the fastener is pressed in a hole, then snap back inside the hole. This provides equal tightness anywhere along its shank and is a "natural" for applications of variable thickness.


Shown at right are standard tooled fasteners readily available from our warehouse. Please contact us for samples or application engineering assistance.

Benefits and Advantages:



- Panels and components may be metal, plastic, wood, particle board, or rubber. They may be solid or compressible and of different thicknesses.
- Holes for the fasteners may be almost any shape, threaded or unthreaded, and may be drilled, punched or molded.
- A low profile permits use in confined areas, and the smooth head provides safe fastening to products exposed to frequent handling.
- Ratchet fasteners are designed, tooled and manufactured from the highest quality materials for in-service performance.



Prongs "give" when a ratchet fastener is pressed through hole but conversely, they press against inside of hole and resist removal.



TRW ratchet fasteners may be used with either compressible materials or solid panels, even when thicknesses vary.



Fasteners shown in typical sizes

Ratchet Fasteners

A smooth domed head fastener with a series of curved flexible ribs along the barrel that provides for superior holding in a wide range of panel thicknesses and hole dimensions.

Catalog Number	Hole Diameter		Panel Thickness		A		B		C		Material
	IN.	MM	IN.	MM	IN.	MM	IN.	MM	IN.	MM	
PC47661	.125	3.17	.070-.098	1.80-2.50	.211	5.38	.039	1.00	.187	4.75	Nylon
PC47599	.136	3.45	.030-.195	0.76-4.95	.375	9.52	.060	1.52	.360	9.14	Nylon
PC47600	.156	3.96	.030-.234	0.76-5.94	.432	10.97	.060	1.52	.360	9.14	Nylon
PC47560	.187	4.75	.030-.312	0.76-7.92	.480	12.19	.070	1.78	.437	11.10	Nylon
PC47561	.187	4.75	.030-.312	0.76-7.92	.480	12.19	.100	2.54	.750	19.05	Nylon
PC47578	.187	4.75	.030-.180	0.76-4.52	.375	9.52	.070	1.78	.437	11.10	Nylon
PC47580	.187	4.75	.030-.312	0.76-7.92	.480	12.19	.040*	1.01	.437	11.10	Nylon
PC47581	.187	4.75	.030-.512	0.76-13.00	.680	17.27	.070	1.78	.437	11.10	Nylon
PC47611	.187	4.75	.030-.180	0.76-4.57	.375	9.52	.070	1.78	.750	19.05	Nylon
PC47613	.187	4.75	.030-.312	0.76-7.92	.625†	15.87	.070	1.78	.437	11.10	Nylon
PC47657	.218	5.53	.059-.236	1.50-6.00	.500	12.70	.090	2.30	.850	21.51	Nylon
PC47601	.218	5.53	.060-.560	1.52-14.22	.774	19.66	.080	2.03	.510	12.95	Nylon
PC47602	.218	5.53	.060-.560	1.52-14.22	.774	19.66	.090	2.30	.850	21.51	Nylon
PC47630	.250	6.35	.415-1.13	10.54-28.70	1.275	32.38	.100	2.54	.700	17.78	Nylon
PC47634	.250	6.35	.090-.722	2.29-18.34	1.103	28.02	.059*	1.50	.866	22.00	Nylon
PC47486	.250	6.35	.110-.560	2.79-14.22	.800	20.32	.100	2.54	.700	17.78	Nylon
PC47516	.250	6.35	.090-.350	2.29-8.89	.610	15.48	.100	2.54	.700	17.78	Nylon
PC47659	.250	6.35	.090-.271	2.29-6.89	.609	15.48	.100	2.54	1.00	25.4	Nylon
PC47669	.250	6.35	.078-.448	2.00-11.4	.787	20.0	.070	1.80	.492	12.50	Nylon
PC47562	.250	6.35	.030-.290	0.76-7.37	.437	11.10	.070	1.78	.437	11.10	Nylon
PC47563	.250	6.35	.030-.290	0.76-7.37	.437	11.10	.100	2.54	.735	19.05	Nylon
PC47564	.250	6.35	.110-.800	2.79-20.32	1.06	26.92	.100	2.54	.700	17.78	Nylon
PC47569	.250	6.35	.135-.385	3.43-9.78	.610	15.48	.030*	0.76	.750	19.05	Nylon
PC47607	.250	6.35	.090-.350	2.29-8.89	.610	15.48	.080	2.03	.500	12.7	Nylon
PC47617	.250	6.35	.420-1.135	10.67-28.83	1.383	35.13	.100	2.54	.700	17.78	Nylon
PC47656	.281	7.14	.059-.925	1.50-23.5	1.198	30.45	.029*	.750	.740	18.80	Nylon
PC47618	.281	7.14	.059-.555	1.50-14.10	.834	21.20	.098	2.50	.748	19.00	Nylon
PC47603	.281	7.14	.060-1.00	1.52-25.4	1.20	30.48	.100	2.54	.750	19.05	Nylon
PC47626	.322	8.20	.027-.196	.700-5.00	.480	12.20	.059*	1.50	.511	13.00	Nylon
PC47536	.406	10.31	.115-.565	2.92-14.35	.820	20.83	.100	2.54	1.00	25.4	Nylon

* Flat head † Extra rigid leg - pointed nose

(Ratchet Fastener chart continued on reverse side)

Engineered Components

visit our web site for a video tour
www.engcomponents.com

Lafayette Indiana Warehouse



Roll Sort Machine



Lafayette Warehouse

THE PER PRINT SPECIALIST

Prototype to Production

(see corporate profile)

STOCKING AUTHORIZED DISTRIBUTOR OF

Avdel/Cherry Fasteners

Gesipa Rivets & RivNuts

PalNut Fasteners

Tinnerman

Dynacast

CamCar Textron

Pop Rivets

ITW Fastex

AVK Alternates

Truck Trailer & Truck Body Parts

Standard & Specialty Fasteners

Southco Fasteners

Huck Fastener

MKT/Gunnebo

Heyco Fasteners

Brasscraft

Gripco Fasteners

TRW Plastics

Ark-Les Terminals

Caplugs Corp

Castings

Stampings

Decals